

Clinical Policy: Wheelchair Seating

Reference Number: CP.MP.99

Date of Last Revision: 01/24

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Policy/Criteria

- I. It is the policy of health plans affiliated with Centene Corporation® that special wheelchair seating cushions are **medically necessary** for the following indications:
- A. A general use seat cushion (E2601, E2602) and a general use wheelchair back cushion (E2611, E2612) for an approved manual wheelchair or power wheelchair with a sling or solid seat or back.
 - B. A skin-protection seat cushion (E2603, E2604, E2622, E2623) with an approved manual wheelchair or power wheelchair, with a sling/solid seat/back; and either of the following:
 1. Current pressure ulcer or past history of a pressure ulcer (see “ICD-10-CM Diagnosis Codes That Support Medical Necessity” section below) on the area of contact with the seating surface; or
 2. Absent or impaired sensation in the area of contact with the seating surface or inability to carry out a functional weight shift due to one of the following diagnoses: spinal cord injury resulting in quadriplegia or paraplegia, other spinal cord disease, multiple sclerosis, other demyelinating disease, cerebral palsy, anterior horn cell diseases including amyotrophic lateral sclerosis, post-polio paralysis, traumatic brain injury resulting in quadriplegia, spina bifida, childhood cerebral degeneration, Alzheimer's disease, Parkinson's disease, dementia, hereditary motor and sensory neuropathy, muscular dystrophy, hemiplegia, Huntington's chorea, idiopathic torsion dystonia, athetoid cerebral palsy, arthrogryposis, osteogenesis imperfecta, spinocerebellar disease or transverse myelitis (see “ICD-10-CM Diagnosis Codes That Support Medical Necessity” section below).
 - C. A positioning seat cushion (E2605, E2606), positioning back cushion (E2613, E2614, E2615, E2616, E2620, E2621), and positioning accessory (E0953, E0955, E0956, E0957, E0960) with both of the following:
 1. An approved manual wheelchair or power wheelchair with a sling/solid seat/back; and
 2. Significant postural asymmetries that are due to one of the diagnoses listed in the skin-protection seat cushion criterion B.2 above or to one of the following diagnoses: monoplegia of the lower limb due to stroke, traumatic brain injury or other etiology, spinocerebellar disease, congenital absence of thigh and/or lower limb, above knee leg amputation, osteogenesis imperfecta, or transverse myelitis (see “ICD-10-CM Diagnosis Codes That Support Medical Necessity” section below).
 - D. A headrest (E0955) when the member/enrollee has an approved manual tilt-in-space, manual semi or fully reclining back on a manual wheelchair, a manual fully reclining back on a power wheelchair, or power tilt and/or recline power seating system.
 - E. A combination skin-protection and positioning seat cushion (E2607, E2608, E2624, E2625) if the criteria for both a skin-protection seat cushion and a positioning seat cushion are met.

- F. A custom fabricated seat cushion (E2609) if criteria (1) and (3) below are met. A custom fabricated back cushion (E2617) if criteria (2) and (3) below are met:
 - 1. The member/enrollee meets all of the criteria for a prefabricated skin-protection seat cushion or positioning seat cushion;
 - 2. The member/enrollee meets all of the criteria for a prefabricated positioning back cushion;
 - 3. There is a comprehensive, written evaluation by a licensed/certified medical professional, such as a physical therapist (PT) or occupational therapist (OT), which clearly explains why a prefabricated seating system is not sufficient to meet seating and positioning needs. The PT or OT must have no financial relationship with the supplier.

- II. It is the policy of health plans affiliated with Centene Corporation that special wheelchair cushions and accessories are **not medically necessary** for the following indications:
 - A. A general use seat cushion (E2601, E2602) if the member/enrollee has a power-operated vehicle (POV) or a power wheelchair with a captain's chair seat.
 - B. A separate seat, back cushion, headrest, and/or other positioning accessories if the member/enrollee has a POV or power wheelchair with a captain's chair seat. Power wheelchair bases that do not include a captain's chair model are: K0839, K0840, K0843, K0860, K0861, K0862, K0863, K0864, K0890, K0891.
 - C. A seat or back cushion that is provided for use with a transport chair (E1037, E1038).
 - D. Powered seat cushion (E2610) for any indication as effectiveness has not been established.

Background

Careful consideration should be given to anticipated or potential changes in the person's function or psychosocial role changes. For instance, when working with an individual with a progressive disease process such as a multiple sclerosis (MS) or amyotrophic lateral sclerosis (ALS), the wheelchair must meet current and potential needs as the disease progresses. Likewise, a child or adolescent certainly may have growth or other anthropomorphic changes. This should be taken into consideration when ordering a new chair or related equipment.³

The evaluating provider should ascertain the individual's level of bowel and bladder control. Certain types of cushions are better suited for patients who are frequently incontinent. During the examination, the evaluating provider should question the patient about any past skin breakdown. Once a patient has had a decubitus ulcer, his or her skin is at best 80% the strength that it was prior to the ulcer.³ Such a patient will be more susceptible to skin breakdown in the future, and use of a previous seating system that induced or contributed to the skin breakdown should be avoided.

The evaluating provider needs to record the method and frequency of achieving pressure relief in order to prescribe a system that does not unknowingly remove a part of the wheelchair that previously provided pressure relief.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted

CLINICAL POLICY
Wheelchair Seating

2022, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

Seat Cushions

| HCPCS Codes | Description |
|--------------------|--|
| E2601 | General use wheelchair seat cushion, width less than 22 inches, any depth |
| E2602 | General use wheelchair seat cushion, width 22 inches or greater, any depth |
| E2603 | Skin protection wheelchair seat cushion, width less than 22 inches, any depth |
| E2604 | Skin protection wheelchair seat cushion, width 22 inches or greater, any depth |
| E2605 | Positioning wheelchair seat cushion, width less than 22 inches, any depth |
| E2606 | Positioning wheelchair seat cushion, width 22 inches or greater, any depth |
| E2607 | Skin protection and positioning wheelchair seat cushion, width less than 22 inches, any depth |
| E2608 | Skin protection and positioning wheelchair seat cushion, width 22 inches or greater, any depth |
| E2609 | Custom fabricated wheelchair seat cushion, any size |
| E2622 | Skin protection wheelchair seat cushion, adjustable, width less than 22 inches, any depth |
| E2623 | Skin protection wheelchair seat cushion, adjustable, width 22 inches or greater, any depth |
| E2624 | Skin protection and positioning wheelchair seat cushion, adjustable, width less than 22 inches, any depth |
| E2625 | Skin protection and positioning wheelchair seat cushion, adjustable, width 22 inches or greater, any depth |

Back Cushions

| HCPCS Codes | Description |
|--------------------|--|
| E2611 | General use wheelchair back cushion, width less than 22 inches, any height, including any type mounting hardware |
| E2612 | General use wheelchair back cushion, width 22 inches or greater, any height, including any type mounting hardware |
| E2613 | Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware |
| E2614 | Positioning wheelchair back cushion, posterior, width 22 inches or greater, any height, including any type mounting hardware |
| E2615 | Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware |
| E2616 | Positioning wheelchair back cushion, posterior-lateral, width 22 inches or greater, any height, including any type mounting hardware |

CLINICAL POLICY
Wheelchair Seating

| HCPCS Codes | Description |
|-------------|--|
| E2617 | Custom fabricated wheelchair back cushion, any size, including any type mounting hardware |
| E2620 | Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, including any type mounting hardware |
| E2621 | Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware |

Positioning Accessories

| HCPCS Codes | Description |
|-------------|---|
| E0953 | Wheelchair accessory, lateral thigh or knee support, any type including fixed mounting hardware, each |
| E0955 | Wheelchair accessory, headrest, cushioned, any type, including fixed mounting hardware, each |
| E0956 | Wheelchair accessory, lateral trunk or hip support, any type, including fixed mounting hardware, each |
| E0957 | Wheelchair accessory, medial thigh support, any type, including fixed mounting hardware, each |
| E0960 | Wheelchair accessory, shoulder harness/straps or chest strap, including any type mounting hardware |
| E0966 | Manual wheelchair accessory, headrest extension, each |
| E1028 | Wheelchair accessory, manual swingaway, retractable or removable mounting hardware for joystick, other control interface or positioning accessory |

Miscellaneous

| HCPCS Codes | Description |
|-------------|---|
| A9900 | Miscellaneous DME supply, accessory, and/or service component of another HCPCS code |
| E2231 | Manual wheelchair accessory, solid seat support base (replaces sling seat), includes any type mounting hardware |
| E2291 | Back, planar, for pediatric size wheelchair including fixed attaching hardware |
| E2292 | Seat, planar, for pediatric size wheelchair including fixed attaching hardware |
| E2293 | Back, contoured, for pediatric size wheelchair including fixed attaching hardware |
| E2294 | Seat, contoured, for pediatric size wheelchair including fixed attaching hardware |
| E2619 | Replacement cover for wheelchair seat cushion or back cushion, each |
| K0108 | Wheelchair component or accessory, not otherwise specified |

Not Medically Necessary Procedure Codes

The following is a list of HCPCS codes which are NOT medically necessary unless an exception is noted in this policy.

| HCPCS Codes | Description |
|-------------|---|
| E0992 | Manual wheelchair accessory, solid seat insert |
| E2610 | Wheelchair Seat cushion, powered |
| K0669 | Wheelchair accessory, wheelchair seat or back cushion, does not meet specific code criteria or no written coding verification from DME PDAC |

ICD-10-CM Diagnosis Codes that Support Coverage Criteria

The following is a list of diagnosis codes that support medical necessity for HCPCS code(s) E2603, E2604, E2622, and E2623.

| ICD-10-CM Code | Description |
|----------------|---|
| B91 | Sequelae of poliomyelitis |
| E75.00 | GM2 gangliosidosis, unspecified |
| E75.01 | Sandhoff disease |
| E75.02 | Tay-Sachs disease |
| E75.09 | Other GM2 gangliosidosis |
| E75.10 | Unspecified gangliosidosis |
| E75.11 | Mucopolipidosis IV |
| E75.19 | Other gangliosidosis |
| E75.23 | Krabbe disease |
| E75.25 | Metachromatic leukodystrophy |
| E75.27 | Pelizaeus-Merzbacher disease |
| E75.28 | Canavan disease |
| E75.29 | Other sphingolipidosis |
| E75.4 | Neuronal ceroid lipofuscinosis |
| F03.90 | Unspecified dementia, unspecified severity, with behavioral disturbance |
| F03.911 | Unspecified dementia, unspecified severity, with agitation |
| F03.918 | Unspecified dementia, unspecified severity, with other behavioral disturbance |
| F03.92 | Unspecified dementia, unspecified severity, with psychotic disturbance |
| F03.93 | Unspecified dementia, unspecified severity, with mood disturbance |
| F03.94 | Unspecified dementia, unspecified severity, with anxiety |
| F03.A11 | Unspecified dementia, mild, with agitation |
| F03.A18 | Unspecified dementia, mild, with other behavioral disturbance |
| F03.A2 | Unspecified dementia, mild, with psychotic disturbance |
| F03.A3 | Unspecified dementia, mild, with mood disturbance |
| F03.A4 | Unspecified dementia, mild, with anxiety |
| F03.B11 | Unspecified dementia, moderate, with agitation |
| F03.B18 | Unspecified dementia, moderate, with other behavioral disturbance |
| F03.B2 | Unspecified dementia, moderate, with psychotic disturbance |
| F03.B3 | Unspecified dementia, moderate, with mood disturbance |
| F03.B4 | Unspecified dementia, moderate, with anxiety |
| F03.C11 | Unspecified dementia, severe, with agitation |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| F03.C18 | Unspecified dementia, severe, with other behavioral disturbance |
| F03.C2 | Unspecified dementia, severe, with psychotic disturbance |
| F03.C3 | Unspecified dementia, severe, with mood disturbance |
| F03.C4 | Unspecified dementia, severe, with anxiety |
| F84.2 | Rett's syndrome |
| G04.1 | Tropical spastic paraplegia |
| G04.82 | Acute flaccid myelitis |
| G04.89 | Other myelitis |
| G10 | Huntington's disease |
| G11.0 | Congenital nonprogressive ataxia |
| G11.10 | Early-onset cerebellar ataxia, unspecified |
| G11.11 | Friedreich ataxia |
| G11.19 | Other early onset cerebellar ataxia |
| G11.2 | Late-onset cerebellar ataxia |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.4 | Hereditary spastic paraplegia |
| G11.8 | Other hereditary ataxias |
| G11.9 | Hereditary ataxia, unspecified |
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.20 | Motor neuron disease, unspecified |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.23 | Primary lateral sclerosis |
| G12.24 | Familial motor neuron disease |
| G12.25 | Progressive spinal muscle atrophy |
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G20.A1 | Parkinson's disease without dyskinesia, without mention of fluctuations |
| G20.A2 | Parkinson's disease without dyskinesia, with fluctuations |
| G20.B1 | Parkinson's disease with dyskinesia, without mention of fluctuations |
| G20.B2 | Parkinson's disease with dyskinesia, with fluctuations |
| G20.C | Parkinsonism, unspecified |
| G21.4 | Vascular parkinsonism |
| G24.1 | Genetic torsion dystonia |
| G30.0 | Alzheimer's disease with early onset |
| G30.1 | Alzheimer's disease with late onset |
| G30.8 | Other Alzheimer's disease |
| G30.9 | Alzheimer's disease, unspecified |
| G31.80 | Leukodystrophy, unspecified |
| G31.81 | Alpers disease |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| G31.82 | Leigh's disease |
| G31.83 | Neurocognitive disorder with Lewy bodies |
| G31.86 | Alexander disease |
| G31.89 | Other specified degenerative diseases of nervous system |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G32.81 | Cerebellar ataxia in diseases classified elsewhere |
| G32.89 | Other specified degenerative disorders of nervous system in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G36.0 | Neuromyelitis optica [Devic] |
| G36.1 | Acute and subacute hemorrhagic leukoencephalitis [Hurst] |
| G36.8 | Other specified acute disseminated demyelination |
| G36.9 | Acute disseminated demyelination, unspecified |
| G37.0 | Diffuse sclerosis of central nervous system |
| G37.1 | Central demyelination of corpus callosum |
| G37.2 | Central pontine myelinolysis |
| G37.3 | Acute transverse myelitis in demyelinating disease of central nervous system |
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.81 | Myelin oligodendrocyte glycoprotein antibody disease |
| G37.89 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G60.0 | Hereditary motor and sensory neuropathy |
| G61.0 | Guillain-Barre syndrome |
| G71.00 | Muscular dystrophy, unspecified |
| G71.01 | Duchenne or Becker muscular dystrophy |
| G71.02 | Facioscapulohumeral muscular dystrophy |
| G71.09 | Other specified muscular dystrophies |
| G71.11 | Myotonic muscular dystrophy |
| G71.20 | Congenital myopathy, unspecified |
| G71.21 | Nemaline myopathy |
| G71.220 | X-linked myotubular myopathy |
| G71.228 | Other centronuclear myopathy |
| G71.29 | Other congenital myopathy |
| G71.031 | Autosomal dominant limb girdle muscular dystrophy |
| G71.032 | Autosomal recessive limb girdle muscular dystrophy due to calpain-3 dysfunction |
| G71.033 | Limb girdle muscular dystrophy due to dysferlin dysfunction |
| G71.0340 | Limb girdle muscular dystrophy due to sarcoglycan dysfunction, unspecified |
| G71.0341 | Limb girdle muscular dystrophy due to alpha sarcoglycan dysfunction |
| G71.0342 | Limb girdle muscular dystrophy due to beta sarcoglycan dysfunction |
| G71.0349 | Limb girdle muscular dystrophy due to other sarcoglycan dysfunction |
| G71.035 | Limb girdle muscular dystrophy due to anoctamin-5 dysfunction |
| G71.038 | Other limb girdle muscular dystrophy |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| G71.039 | Limb girdle muscular dystrophy, unspecified |
| G80.0 | Spastic quadriplegic cerebral palsy |
| G80.1 | Spastic diplegic cerebral palsy |
| G80.2 | Spastic hemiplegic cerebral palsy |
| G80.3 | Athetoid cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.9 | Cerebral palsy, unspecified |
| G81.00 | Flaccid hemiplegia affecting unspecified side |
| G81.01 | Flaccid hemiplegia affecting right dominant side |
| G81.02 | Flaccid hemiplegia affecting left dominant side |
| G81.03 | Flaccid hemiplegia affecting right nondominant side |
| G81.04 | Flaccid hemiplegia affecting left nondominant side |
| G81.10 | Spastic hemiplegia affecting unspecified side |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G81.90 | Hemiplegia, unspecified affecting unspecified side |
| G81.91 | Hemiplegia, unspecified affecting right dominant side |
| G81.92 | Hemiplegia, unspecified affecting left dominant side |
| G81.93 | Hemiplegia, unspecified affecting right nondominant side |
| G81.94 | Hemiplegia, unspecified affecting left nondominant side |
| G82.20 | Paraplegia, unspecified |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |
| G82.50 | Quadriplegia, unspecified |
| G82.51 | Quadriplegia, C1-C4 complete |
| G82.52 | Quadriplegia, C1-C4 incomplete |
| G82.53 | Quadriplegia, C5-C7 complete |
| G82.54 | Quadriplegia, C5-C7 incomplete |
| G93.89 | Other specified disorders of brain |
| G93.9 | Disorder of brain, unspecified |
| G94 | Other disorders of brain in diseases classified elsewhere |
| G95.0 | Syringomyelia and syringobulbia |
| G95.11 | Acute infarction of spinal cord (embolic) (nonembolic) |
| G95.19 | Other vascular myelopathies |
| G99.2 | Myelopathy in diseases classified elsewhere |
| I69.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| I69.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| I69.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |
| I69.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| I69.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| I69.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side |
| I69.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| I69.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| I69.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| I69.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|--|
| I69.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side |
| I69.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| I69.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| I69.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side |
| L89.130 | Pressure ulcer of right lower back, unstageable |
| L89.131 | Pressure ulcer of right lower back, stage 1 |
| L89.132 | Pressure ulcer of right lower back, stage 2 |
| L89.133 | Pressure ulcer of right lower back, stage 3 |
| L89.134 | Pressure ulcer of right lower back, stage 4 |
| L89.140 | Pressure ulcer of left lower back, unstageable |
| L89.141 | Pressure ulcer of left lower back, stage 1 |
| L89.142 | Pressure ulcer of left lower back, stage 2 |
| L89.143 | Pressure ulcer of left lower back, stage 3 |
| L89.144 | Pressure ulcer of left lower back, stage 4 |
| L89.150 | Pressure ulcer of sacral region, unstageable |
| L89.151 | Pressure ulcer of sacral region, stage 1 |
| L89.152 | Pressure ulcer of sacral region, stage 2 |
| L89.153 | Pressure ulcer of sacral region, stage 3 |
| L89.154 | Pressure ulcer of sacral region, stage 4 |
| L89.200 | Pressure ulcer of unspecified hip, unstageable |
| L89.201 | Pressure ulcer of unspecified hip, stage 1 |
| L89.202 | Pressure ulcer of unspecified hip, stage 2 |
| L89.203 | Pressure ulcer of unspecified hip, stage 3 |
| L89.204 | Pressure ulcer of unspecified hip, stage 4 |
| L89.210 | Pressure ulcer of right hip, unstageable |
| L89.211 | Pressure ulcer of right hip, stage 1 |
| L89.212 | Pressure ulcer of right hip, stage 2 |
| L89.213 | Pressure ulcer of right hip, stage 3 |
| L89.214 | Pressure ulcer of right hip, stage 4 |
| L89.220 | Pressure ulcer of left hip, unstageable |
| L89.221 | Pressure ulcer of left hip, stage 1 |
| L89.222 | Pressure ulcer of left hip, stage 2 |
| L89.223 | Pressure ulcer of left hip, stage 3 |
| L89.224 | Pressure ulcer of left hip, stage 4 |
| L89.300 | Pressure ulcer of unspecified buttock, unstageable |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| L89.301 | Pressure ulcer of unspecified buttock, stage 1 |
| L89.302 | Pressure ulcer of unspecified buttock, stage 2 |
| L89.303 | Pressure ulcer of unspecified buttock, stage 3 |
| L89.304 | Pressure ulcer of unspecified buttock, stage 4 |
| L89.310 | Pressure ulcer of right buttock, unstageable |
| L89.311 | Pressure ulcer of right buttock, stage 1 |
| L89.312 | Pressure ulcer of right buttock, stage 2 |
| L89.313 | Pressure ulcer of right buttock, stage 3 |
| L89.314 | Pressure ulcer of right buttock, stage 4 |
| L89.320 | Pressure ulcer of left buttock, unstageable |
| L89.321 | Pressure ulcer of left buttock, stage 1 |
| L89.322 | Pressure ulcer of left buttock, stage 2 |
| L89.323 | Pressure ulcer of left buttock, stage 3 |
| L89.324 | Pressure ulcer of left buttock, stage 4 |
| L89.41 | Pressure ulcer of contiguous site of back, buttock and hip, stage 1 |
| L89.42 | Pressure ulcer of contiguous site of back, buttock and hip, stage 2 |
| L89.43 | Pressure ulcer of contiguous site of back, buttock and hip, stage 3 |
| L89.44 | Pressure ulcer of contiguous site of back, buttock and hip, stage 4 |
| L89.45 | Pressure ulcer of contiguous site of back, buttock and hip, unstageable |
| M62.3 | Immobility syndrome (paraplegic) |
| M62.89 | Other specified disorders of muscle |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.4 | Unspecified spina bifida with hydrocephalus |
| Q05.5 | Cervical spina bifida without hydrocephalus |
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q67.8 | Other congenital deformities of chest |
| Q68.1 | Congenital deformity of finger(s) and hand |
| Q74.3 | Arthrogryposis multiplex congenita |
| Q78.0 | Osteogenesis imperfecta |
| Q79.60 | Ehlers-Danlos syndrome, unspecified |
| Q79.61 | Classical Ehlers-Danlos syndrome |
| Q79.62 | Hypermobility Ehlers-Danlos syndrome |

| ICD-10-CM Code | Description |
|----------------|---|
| Q79.63 | Vascular Ehlers-Danlos syndrome |
| Q79.69 | Other Ehlers-Danlos syndromes |
| Q90.0 | Trisomy 21, nonmosaicism (meiotic nondisjunction) |
| Q90.1 | Trisomy 21, mosaicism (mitotic nondisjunction) |
| Q90.2 | Trisomy 21, translocation |
| Q90.9 | Down syndrome, unspecified |

ICD-10-CM Diagnosis Codes That Support Medical Necessity

The following is a list of diagnosis codes that support medical necessity for HCPCS code(s) E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E216, E2617, E2620 and E2621.

| ICD-10-CM Code | Description |
|----------------|---|
| B91 | Sequelae of poliomyelitis |
| E75.00 | GM2 gangliosidosis, unspecified |
| E75.01 | Sandhoff disease |
| E75.02 | Tay-Sachs disease |
| E75.09 | Other GM2 gangliosidosis |
| E75.10 | Unspecified gangliosidosis |
| E75.11 | Mucopolipidosis IV |
| E75.19 | Other gangliosidosis |
| E75.23 | Krabbe disease |
| E75.25 | Metachromatic leukodystrophy |
| E75.27 | Pelizaeus-Merzbacher disease |
| E75.28 | Canavan disease |
| E75.29 | Other sphingolipidosis |
| E75.4 | Neuronal ceroid lipofuscinosis |
| F03.90 | Unspecified dementia, unspecified severity, with behavioral disturbance |
| F03.911 | Unspecified dementia, unspecified severity, with agitation |
| F03.918 | Unspecified dementia, unspecified severity, with other behavioral disturbance |
| F03.92 | Unspecified dementia, unspecified severity, with psychotic disturbance |
| F03.93 | Unspecified dementia, unspecified severity, with mood disturbance |
| F03.94 | Unspecified dementia, unspecified severity, with anxiety |
| F03.A11 | Unspecified dementia, mild, with agitation |
| F03.A18 | Unspecified dementia, mild, with other behavioral disturbance |
| F03.A2 | Unspecified dementia, mild, with psychotic disturbance |
| F03.A3 | Unspecified dementia, mild, with mood disturbance |
| F03.A4 | Unspecified dementia, mild, with anxiety |
| F03.B11 | Unspecified dementia, moderate, with agitation |
| F03.B18 | Unspecified dementia, moderate, with other behavioral disturbance |
| F03.B2 | Unspecified dementia, moderate, with psychotic disturbance |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| F03.B3 | Unspecified dementia, moderate, with mood disturbance |
| F03.B4 | Unspecified dementia, moderate, with anxiety |
| F03.C11 | Unspecified dementia, severe, with agitation |
| F03.C18 | Unspecified dementia, severe, with other behavioral disturbance |
| F03.C2 | Unspecified dementia, severe, with psychotic disturbance |
| F03.C3 | Unspecified dementia, severe, with mood disturbance |
| F03.C4 | Unspecified dementia, severe, with anxiety |
| F84.2 | Rett's syndrome |
| G04.1 | Tropical spastic paraplegia |
| G04.82 | Acute flaccid myelitis |
| G04.89 | Other myelitis |
| G10 | Huntington's disease |
| G11.0 | Congenital nonprogressive ataxia |
| G11.10 | Early-onset cerebellar ataxia, unspecified |
| G11.11 | Friedreich ataxia |
| G11.19 | Other early onset cerebellar ataxia |
| G11.2 | Late-onset cerebellar ataxia |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.4 | Hereditary spastic paraplegia |
| G11.8 | Other hereditary ataxias |
| G11.9 | Hereditary ataxia, unspecified |
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.20 | Motor neuron disease, unspecified |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.23 | Primary lateral sclerosis |
| G12.24 | Familial motor neuron disease |
| G12.25 | Progressive spinal muscle atrophy |
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G20.A1 | Parkinson's disease without dyskinesia, without mention of fluctuations |
| G20.A2 | Parkinson's disease without dyskinesia, with fluctuations |
| G20.B1 | Parkinson's disease with dyskinesia, without mention of fluctuations |
| G20.B2 | Parkinson's disease with dyskinesia, with fluctuations |
| G20.C | Parkinsonism, unspecified |
| G21.4 | Vascular parkinsonism |
| G24.1 | Genetic torsion dystonia |
| G30.0 | Alzheimer's disease with early onset |
| G30.1 | Alzheimer's disease with late onset |
| G30.8 | Other Alzheimer's disease |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| G30.9 | Alzheimer's disease, unspecified |
| G31.80 | Leukodystrophy, unspecified |
| G31.81 | Alpers disease |
| G31.82 | Leigh's disease |
| G31.83 | Neurocognitive disorder with Lewy bodies |
| G31.86 | Alexander disease |
| G31.89 | Other specified degenerative diseases of nervous system |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G32.81 | Cerebellar ataxia in diseases classified elsewhere |
| G32.89 | Other specified degenerative disorders of nervous system in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G36.0 | Neuromyelitis optica [Devic] |
| G36.1 | Acute and subacute hemorrhagic leukoencephalitis [Hurst] |
| G36.8 | Other specified acute disseminated demyelination |
| G36.9 | Acute disseminated demyelination, unspecified |
| G37.0 | Diffuse sclerosis of central nervous system |
| G37.1 | Central demyelination of corpus callosum |
| G37.2 | Central pontine myelinolysis |
| G37.3 | Acute transverse myelitis in demyelinating disease of central nervous system |
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.81 | Myelin oligodendrocyte glycoprotein antibody disease |
| G37.89 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G60.0 | Hereditary motor and sensory neuropathy |
| G61.0 | Guillain-Barre syndrome |
| G71.00 | Muscular dystrophy |
| G71.01 | Duchenne or Becker muscular dystrophy |
| G71.02 | Facioscapulohumeral muscular dystrophy |
| G71.031 | Autosomal dominant limb girdle muscular dystrophy |
| G71.032 | Autosomal recessive limb girdle muscular dystrophy due to calpain-3 dysfunction |
| G71.033 | Limb girdle muscular dystrophy due to dysferlin dysfunction |
| G71.0340 | Limb girdle muscular dystrophy due to sarcoglycan dysfunction, unspecified |
| G71.0341 | Limb girdle muscular dystrophy due to alpha sarcoglycan dysfunction |
| G71.0342 | Limb girdle muscular dystrophy due to beta sarcoglycan dysfunction |
| G71.0349 | Limb girdle muscular dystrophy due to other sarcoglycan dysfunction |
| G71.035 | Limb girdle muscular dystrophy due to anoctamin-5 dysfunction |
| G71.038 | Other limb girdle muscular dystrophy |
| G71.039 | Limb girdle muscular dystrophy, unspecified |
| G71.09 | Other specified muscular dystrophies |
| G71.11 | Myotonic muscular dystrophy |
| G71.20 | Congenital myopathy, unspecified |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| G71.21 | Nemaline myopathy |
| G71.220 | X-linked myotubular myopathy |
| G71.228 | Other centronuclear myopathy |
| G71.29 | Other congenital myopathy |
| G80.0 | Spastic quadriplegic cerebral palsy |
| G80.1 | Spastic diplegic cerebral palsy |
| G80.2 | Spastic hemiplegic cerebral palsy |
| G80.3 | Athetoid cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.9 | Cerebral palsy, unspecified |
| G81.00 | Flaccid hemiplegia affecting unspecified side |
| G81.01 | Flaccid hemiplegia affecting right dominant side |
| G81.02 | Flaccid hemiplegia affecting left dominant side |
| G81.03 | Flaccid hemiplegia affecting right nondominant side |
| G81.04 | Flaccid hemiplegia affecting left nondominant side |
| G81.10 | Spastic hemiplegia affecting unspecified side |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G81.90 | Hemiplegia, unspecified affecting unspecified side |
| G81.91 | Hemiplegia, unspecified affecting right dominant side |
| G81.92 | Hemiplegia, unspecified affecting left dominant side |
| G81.93 | Hemiplegia, unspecified affecting right nondominant side |
| G81.94 | Hemiplegia, unspecified affecting left nondominant side |
| G82.20 | Paraplegia, unspecified |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |
| G82.50 | Quadriplegia, unspecified |
| G82.51 | Quadriplegia, C1-C4 complete |
| G82.52 | Quadriplegia, C1-C4 incomplete |
| G82.53 | Quadriplegia, C5-C7 complete |
| G82.54 | Quadriplegia, C5-C7 incomplete |
| G83.10 | Monoplegia of lower limb affecting unspecified side |
| G83.11 | Monoplegia of lower limb affecting right dominant side |
| G83.12 | Monoplegia of lower limb affecting left dominant side |
| G83.13 | Monoplegia of lower limb affecting right nondominant side |
| G83.14 | Monoplegia of lower limb affecting left nondominant side |
| G93.89 | Other specified disorders of brain |
| G93.9 | Disorder of brain, unspecified |
| G94 | Other disorders of brain in diseases classified elsewhere |
| G95.0 | Syringomyelia and syringobulbia |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|--|
| G95.11 | Acute infarction of spinal cord (embolic) (nonembolic) |
| G95.19 | Other vascular myelopathies |
| G99.2 | Myelopathy in diseases classified elsewhere |
| I69.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|-----------------------|---|
| I69.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.243 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.249 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.341 | Monoplegia of lower limb following cerebral infarction affecting right dominant side |
| I69.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side |
| I69.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side |
| I69.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side |
| I69.349 | Monoplegia of lower limb following cerebral infarction affecting unspecified side |
| I69.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| I69.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |
| I69.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| I69.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| I69.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side |
| I69.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side |
| I69.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|--|
| I69.843 | Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side |
| I69.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side |
| I69.849 | Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side |
| I69.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| I69.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| I69.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| I69.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |
| I69.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side |
| I69.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side |
| I69.942 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side |
| I69.943 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.944 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.949 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side |
| I69.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| I69.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| I69.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side |
| M62.3 | Immobility syndrome (paraplegic) |
| M62.89 | Other specified disorders of muscle |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.4 | Unspecified spina bifida with hydrocephalus |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|--|
| Q05.5 | Cervical spina bifida without hydrocephalus |
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q67.8 | Other congenital deformities of chest |
| Q68.1 | Congenital deformity of finger(s) and hand |
| Q72.01 | Congenital complete absence of right lower limb |
| Q72.02 | Congenital complete absence of left lower limb |
| Q72.03 | Congenital complete absence of lower limb, bilateral |
| Q72.11 | Congenital absence of right thigh and lower leg with foot present |
| Q72.12 | Congenital absence of left thigh and lower leg with foot present |
| Q72.13 | Congenital absence of thigh and lower leg with foot present, bilateral |
| Q74.3 | Arthrogryposis multiplex congenita |
| Q78.0 | Osteogenesis imperfecta |
| Q79.60 | Ehlers-Danlos syndrome, unspecified |
| Q79.61 | Classical Ehlers-Danlos syndrome |
| Q79.62 | Hypermobility Ehlers-Danlos syndrome |
| Q79.63 | Vascular Ehlers-Danlos syndrome |
| Q79.69 | Other Ehlers-Danlos syndromes |
| Q90.0 | Trisomy 21, nonmosaicism (meiotic nondisjunction) |
| Q90.1 | Trisomy 21, mosaicism (mitotic nondisjunction) |
| Q90.2 | Trisomy 21, translocation |
| Q90.9 | Down syndrome, unspecified |
| S78.011A | Complete traumatic amputation at right hip joint, initial encounter |
| S78.011D | Complete traumatic amputation at right hip joint, subsequent encounter |
| S78.011S | Complete traumatic amputation at right hip joint, sequela |
| S78.012A | Complete traumatic amputation at left hip joint, initial encounter |
| S78.012D | Complete traumatic amputation at left hip joint, subsequent encounter |
| S78.012S | Complete traumatic amputation at left hip joint, sequela |
| S78.019A | Complete traumatic amputation at unspecified hip joint, initial encounter |
| S78.019D | Complete traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.019S | Complete traumatic amputation at unspecified hip joint, sequela |
| S78.021A | Partial traumatic amputation at right hip joint, initial encounter |
| S78.021D | Partial traumatic amputation at right hip joint, subsequent encounter |
| S78.021S | Partial traumatic amputation at right hip joint, sequela |
| S78.022A | Partial traumatic amputation at left hip joint, initial encounter |
| S78.022D | Partial traumatic amputation at left hip joint, subsequent encounter |
| S78.022S | Partial traumatic amputation at left hip joint, sequela |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|--|
| S78.029A | Partial traumatic amputation at unspecified hip joint, initial encounter |
| S78.029D | Partial traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.029S | Partial traumatic amputation at unspecified hip joint, sequela |
| S78.111A | Complete traumatic amputation at level between right hip and knee, initial encounter |
| S78.111D | Complete traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.111S | Complete traumatic amputation at level between right hip and knee, sequela |
| S78.112A | Complete traumatic amputation at level between left hip and knee, initial encounter |
| S78.112D | Complete traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.112S | Complete traumatic amputation at level between left hip and knee, sequela |
| S78.119A | Complete traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.119D | Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.119S | Complete traumatic amputation at level between unspecified hip and knee, sequela |
| S78.121A | Partial traumatic amputation at level between right hip and knee, initial encounter |
| S78.121D | Partial traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.121S | Partial traumatic amputation at level between right hip and knee, sequela |
| S78.122A | Partial traumatic amputation at level between left hip and knee, initial encounter |
| S78.122D | Partial traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.122S | Partial traumatic amputation at level between left hip and knee, sequela |
| S78.129A | Partial traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.129D | Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.129S | Partial traumatic amputation at level between unspecified hip and knee, sequela |
| S78.911A | Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.911D | Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.911S | Complete traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.912A | Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.912D | Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.912S | Complete traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.919A | Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| S78.919D | Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.919S | Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S78.921A | Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.921D | Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.921S | Partial traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.922A | Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.922D | Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.922S | Partial traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.929A | Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.929D | Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.929S | Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S88.011A | Complete traumatic amputation at knee level, right lower leg, initial encounter |
| S88.011D | Complete traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.011S | Complete traumatic amputation at knee level, right lower leg, sequela |
| S88.012A | Complete traumatic amputation at knee level, left lower leg, initial encounter |
| S88.012D | Complete traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.012S | Complete traumatic amputation at knee level, left lower leg, sequela |
| S88.019A | Complete traumatic amputation at knee level, unspecified lower leg, initial encounter |
| S88.019D | Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.019S | Complete traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.021A | Partial traumatic amputation at knee level, right lower leg, initial encounter |
| S88.021D | Partial traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.021S | Partial traumatic amputation at knee level, right lower leg, sequela |
| S88.022A | Partial traumatic amputation at knee level, left lower leg, initial encounter |
| S88.022D | Partial traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.022S | Partial traumatic amputation at knee level, left lower leg, sequela |
| S88.029A | Partial traumatic amputation at knee level, unspecified lower leg, initial encounter |
| S88.029D | Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.029S | Partial traumatic amputation at knee level, unspecified lower leg, sequela |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| S88.911A | Complete traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.911D | Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.911S | Complete traumatic amputation of right lower leg, level unspecified, sequela |
| S88.912A | Complete traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.912D | Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.912S | Complete traumatic amputation of left lower leg, level unspecified, sequela |
| S88.919A | Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.919D | Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.919S | Complete traumatic amputation of unspecified lower leg, level unspecified, sequela |
| S88.921A | Partial traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.921D | Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.921S | Partial traumatic amputation of right lower leg, level unspecified, sequela |
| S88.922A | Partial traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.922D | Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.922S | Partial traumatic amputation of left lower leg, level unspecified, sequela |
| S88.929A | Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.929D | Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.929S | Partial traumatic amputation of unspecified lower leg, level unspecified, sequela |
| Z89.511 | Acquired absence of right leg below knee |
| Z89.512 | Acquired absence of left leg below knee |
| Z89.519 | Acquired absence of unspecified leg below knee |
| Z89.611 | Acquired absence of right leg above knee |
| Z89.612 | Acquired absence of left leg above knee |
| Z89.619 | Acquired absence of unspecified leg above knee |
| Z89.621 | Acquired absence of right hip joint |
| Z89.622 | Acquired absence of left hip joint |
| Z89.629 | Acquired absence of unspecified hip joint |

ICD-10-CM Diagnosis Codes That Support Medical Necessity

The following is a list of diagnosis codes that support medical necessity for HCPCS code(s) E2607, E2608, E2624, and E2625.

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| B91 | Sequelae of poliomyelitis |
| E75.00 | GM2 gangliosidosis, unspecified |
| E75.01 | Sandhoff disease |
| E75.02 | Tay-Sachs disease |
| E75.09 | Other GM2 gangliosidosis |
| E75.10 | Unspecified gangliosidosis |
| E75.11 | Mucopolipidosis IV |
| E75.19 | Other gangliosidosis |
| E75.23 | Krabbe disease |
| E75.25 | Metachromatic leukodystrophy |
| E75.27 | Pelizaeus-Merzbacher disease |
| E75.28 | Canavan disease |
| E75.29 | Other sphingolipidosis |
| E75.4 | Neuronal ceroid lipofuscinosis |
| F03.90 | Unspecified dementia, unspecified severity, with behavioral disturbance |
| F03.911 | Unspecified dementia, unspecified severity, with agitation |
| F03.918 | Unspecified dementia, unspecified severity, with other behavioral disturbance |
| F03.92 | Unspecified dementia, unspecified severity, with psychotic disturbance |
| F03.93 | Unspecified dementia, unspecified severity, with mood disturbance |
| F03.94 | Unspecified dementia, unspecified severity, with anxiety |
| F03.A11 | Unspecified dementia, mild, with agitation |
| F03.A18 | Unspecified dementia, mild, with other behavioral disturbance |
| F03.A2 | Unspecified dementia, mild, with psychotic disturbance |
| F03.A3 | Unspecified dementia, mild, with mood disturbance |
| F03.A4 | Unspecified dementia, mild, with anxiety |
| F03.B11 | Unspecified dementia, moderate, with agitation |
| F03.B18 | Unspecified dementia, moderate, with other behavioral disturbance |
| F03.B2 | Unspecified dementia, moderate, with psychotic disturbance |
| F03.B3 | Unspecified dementia, moderate, with mood disturbance |
| F03.B4 | Unspecified dementia, moderate, with anxiety |
| F03.C11 | Unspecified dementia, severe, with agitation |
| F03.C18 | Unspecified dementia, severe, with other behavioral disturbance |
| F03.C2 | Unspecified dementia, severe, with psychotic disturbance |
| F03.C3 | Unspecified dementia, severe, with mood disturbance |
| F03.C4 | Unspecified dementia, severe, with anxiety |
| F84.2 | Rett's syndrome |
| G04.1 | Tropical spastic paraplegia |
| G04.82 | Acute flaccid myelitis |
| G04.89 | Other myelitis |
| G10 | Huntington's disease |
| G11.0 | Congenital nonprogressive ataxia |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| G11.10 | Early-onset cerebellar ataxia, unspecified |
| G11.11 | Friedreich ataxia |
| G11.19 | Other early onset cerebellar ataxia, |
| G11.2 | Late-onset cerebellar ataxia |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.4 | Hereditary spastic paraplegia |
| G11.8 | Other hereditary ataxias |
| G11.9 | Hereditary ataxia, unspecified |
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.20 | Motor neuron disease, unspecified |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.23 | Primary lateral sclerosis |
| G12.24 | Familial motor neuron disease |
| G12.25 | Progressive spinal muscle atrophy |
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G20.A1 | Parkinson's disease without dyskinesia, without mention of fluctuations |
| G20.A2 | Parkinson's disease without dyskinesia, with fluctuations |
| G20.B1 | Parkinson's disease with dyskinesia, without mention of fluctuations |
| G20.B2 | Parkinson's disease with dyskinesia, with fluctuations |
| G20.C | Parkinsonism, unspecified |
| G21.4 | Vascular parkinsonism |
| G24.1 | Genetic torsion dystonia |
| G30.0 | Alzheimer's disease with early onset |
| G30.1 | Alzheimer's disease with late onset |
| G30.8 | Other Alzheimer's disease |
| G30.9 | Alzheimer's disease, unspecified |
| G31.80 | Leukodystrophy, unspecified |
| G31.81 | Alpers disease |
| G31.82 | Leigh's disease |
| G31.83 | Neurocognitive disorder with Lewy bodies |
| G31.86 | Alexander disease |
| G31.89 | Other specified degenerative diseases of nervous system |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G32.81 | Cerebellar ataxia in diseases classified elsewhere |
| G32.89 | Other specified degenerative disorders of nervous system in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G36.0 | Neuromyelitis optica [Devic] |
| G36.1 | Acute and subacute hemorrhagic leukoencephalitis [Hurst] |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| G36.8 | Other specified acute disseminated demyelination |
| G36.9 | Acute disseminated demyelination, unspecified |
| G37.0 | Diffuse sclerosis of central nervous system |
| G37.1 | Central demyelination of corpus callosum |
| G37.2 | Central pontine myelinolysis |
| G37.3 | Acute transverse myelitis in demyelinating disease of central nervous system |
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.81 | Myelin oligodendrocyte glycoprotein antibody disease |
| G37.89 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G60.0 | Hereditary motor and sensory neuropathy |
| G61.0 | Guillain-Barre syndrome |
| G71.00 | Muscular dystrophy, unspecified |
| G71.01 | Duchenne or Becker muscular dystrophy |
| G71.02 | Facioscapulohumeral muscular dystrophy |
| G71.031 | Autosomal dominant limb girdle muscular dystrophy |
| G71.032 | Autosomal recessive limb girdle muscular dystrophy due to calpain-3 dysfunction |
| G71.033 | Limb girdle muscular dystrophy due to dysferlin dysfunction |
| G71.0340 | Limb girdle muscular dystrophy due to sarcoglycan dysfunction, unspecified |
| G71.0341 | Limb girdle muscular dystrophy due to alpha sarcoglycan dysfunction |
| G71.0342 | Limb girdle muscular dystrophy due to beta sarcoglycan dysfunction |
| G71.0349 | Limb girdle muscular dystrophy due to other sarcoglycan dysfunction |
| G71.035 | Limb girdle muscular dystrophy due to anoctamin-5 dysfunction |
| G71.038 | Other limb girdle muscular dystrophy |
| G71.039 | Limb girdle muscular dystrophy, unspecified |
| G71.09 | Other specified muscular dystrophies |
| G71.11 | Myotonic muscular dystrophy |
| G71.20 | Congenital myopathy, unspecified |
| G71.21 | Nemaline myopathy |
| G71.220 | X-linked myotubular myopathy |
| G71.228 | Other centronuclear myopathy |
| G71.29 | Other congenital myopathy |
| G80.0 | Spastic quadriplegic cerebral palsy |
| G80.1 | Spastic diplegic cerebral palsy |
| G80.2 | Spastic hemiplegic cerebral palsy |
| G80.3 | Athetoid cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.9 | Cerebral palsy, unspecified |
| G81.00 | Flaccid hemiplegia affecting unspecified side |
| G81.01 | Flaccid hemiplegia affecting right dominant side |
| G81.02 | Flaccid hemiplegia affecting left dominant side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|--|
| G81.03 | Flaccid hemiplegia affecting right nondominant side |
| G81.04 | Flaccid hemiplegia affecting left nondominant side |
| G81.10 | Spastic hemiplegia affecting unspecified side |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G81.90 | Hemiplegia, unspecified affecting unspecified side |
| G81.91 | Hemiplegia, unspecified affecting right dominant side |
| G81.92 | Hemiplegia, unspecified affecting left dominant side |
| G81.93 | Hemiplegia, unspecified affecting right nondominant side |
| G81.94 | Hemiplegia, unspecified affecting left nondominant side |
| G82.20 | Paraplegia, unspecified |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |
| G82.50 | Quadriplegia, unspecified |
| G82.51 | Quadriplegia, C1-C4 complete |
| G82.52 | Quadriplegia, C1-C4 incomplete |
| G82.53 | Quadriplegia, C5-C7 complete |
| G82.54 | Quadriplegia, C5-C7 incomplete |
| G93.89 | Other specified disorders of brain |
| G93.9 | Disorder of brain, unspecified |
| G94 | Other disorders of brain in diseases classified elsewhere |
| G95.0 | Syringomyelia and syringobulbia |
| G95.11 | Acute infarction of spinal cord (embolic) (nonembolic) |
| G95.19 | Other vascular myelopathies |
| G99.2 | Myelopathy in diseases classified elsewhere |
| I69.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|-----------------------|---|
| I69.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| I69.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |
| I69.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| I69.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| I69.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side |
| I69.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| I69.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| I69.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| I69.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |
| I69.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side |
| I69.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| I69.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| I69.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side |

| ICD-10-CM Code | Description |
|----------------|--|
| M62.3 | Immobility syndrome (paraplegic) |
| M62.89 | Other specified disorders of muscle |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.4 | Unspecified spina bifida with hydrocephalus |
| Q05.5 | Cervical spina bifida without hydrocephalus |
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q67.8 | Other congenital deformities of chest |
| Q68.1 | Congenital deformity of finger(s) and hand |
| Q74.3 | Arthrogryposis multiplex congenita |
| Q78.0 | Osteogenesis imperfecta |
| Q79.60 | Ehlers-Danlos syndrome, unspecified |
| Q79.62 | Hypermobile Ehlers-Danlos syndrome |
| Q79.63 | Vascular Ehlers-Danlos syndrome |
| Q79.69 | Other Ehlers-Danlos syndromes |
| Q90.0 | Trisomy 21, nonmosaicism (meiotic nondisjunction) |
| Q90.1 | Trisomy 21, mosaicism (mitotic nondisjunction) |
| Q90.2 | Trisomy 21, translocation |
| Q90.9 | Down syndrome, unspecified |

ICD-10-CM Diagnosis Codes That Support Medical Necessity

The following is a list of diagnosis codes that support medical necessity for HCPCS code(s) E2607, E2608, E2624, and E2625 for patients with pressure ulcers:

ICD-10-CM codes L89.130, L89.131, L89.132, L89.133, L89.134, L89.140, L89.141, L89.142, L89.143, L89.144, L89.150, L89.151, L89.152, L89.153, L89.154, , L89.200, L89.201, L89.202, L89.203, L89.204, L89.210, L89.211, L89.212, L89.213, L89.214, L89.220, L89.221, L89.222, L89.223, L89.224, L89.300, L89.301, L89.302, L89.303, L89.304, L89.310, L89.311, L89.312, L89.313, L89.314, L89.320, L89.321, L89.322, L89.323, L89.324, L89.41, L89.42, L89.43, L89.44, L89.45, Z87.2. The applicable diagnosis code for pressure ulcer must be billed with one of the codes below

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|-----------------------|---|
| G83.10 | Monoplegia of lower limb affecting unspecified side |
| G83.11 | Monoplegia of lower limb affecting right dominant side |
| G83.12 | Monoplegia of lower limb affecting left dominant side |
| G83.13 | Monoplegia of lower limb affecting right nondominant side |
| G83.14 | Monoplegia of lower limb affecting left nondominant side |
| I69.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.243 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.249 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.341 | Monoplegia of lower limb following cerebral infarction affecting right dominant side |
| I69.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side |
| I69.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side |
| I69.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|--|
| I69.349 | Monoplegia of lower limb following cerebral infarction affecting unspecified side |
| I69.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side |
| I69.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side |
| I69.843 | Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side |
| I69.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side |
| I69.849 | Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side |
| I69.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side |
| I69.942 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side |
| I69.943 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.944 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.949 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side |
| Q72.01 | Congenital complete absence of right lower limb |
| Q72.02 | Congenital complete absence of left lower limb |
| Q72.03 | Congenital complete absence of lower limb, bilateral |
| Q72.11 | Congenital absence of right thigh and lower leg with foot present |
| Q72.12 | Congenital absence of left thigh and lower leg with foot present |
| Q72.13 | Congenital absence of thigh and lower leg with foot present, bilateral |
| Q78.0 | Osteogenesis imperfecta |
| S78.011A | Complete traumatic amputation at right hip joint, initial encounter |
| S78.011D | Complete traumatic amputation at right hip joint, subsequent encounter |
| S78.011S | Complete traumatic amputation at right hip joint, sequela |
| S78.012A | Complete traumatic amputation at left hip joint, initial encounter |
| S78.012D | Complete traumatic amputation at left hip joint, subsequent encounter |
| S78.012S | Complete traumatic amputation at left hip joint, sequela |
| S78.019A | Complete traumatic amputation at unspecified hip joint, initial encounter |
| S78.019D | Complete traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.019S | Complete traumatic amputation at unspecified hip joint, sequela |
| S78.021A | Partial traumatic amputation at right hip joint, initial encounter |
| S78.021D | Partial traumatic amputation at right hip joint, subsequent encounter |
| S78.021S | Partial traumatic amputation at right hip joint, sequela |
| S78.022A | Partial traumatic amputation at left hip joint, initial encounter |
| S78.022D | Partial traumatic amputation at left hip joint, subsequent encounter |
| S78.022S | Partial traumatic amputation at left hip joint, sequela |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|-----------------------|--|
| S78.029A | Partial traumatic amputation at unspecified hip joint, initial encounter |
| S78.029D | Partial traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.029S | Partial traumatic amputation at unspecified hip joint, sequela |
| S78.111A | Complete traumatic amputation at level between right hip and knee, initial encounter |
| S78.111D | Complete traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.111S | Complete traumatic amputation at level between right hip and knee, sequela |
| S78.112A | Complete traumatic amputation at level between left hip and knee, initial encounter |
| S78.112D | Complete traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.112S | Complete traumatic amputation at level between left hip and knee, sequela |
| S78.119A | Complete traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.119D | Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.119S | Complete traumatic amputation at level between unspecified hip and knee, sequela |
| S78.121A | Partial traumatic amputation at level between right hip and knee, initial encounter |
| S78.121D | Partial traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.121S | Partial traumatic amputation at level between right hip and knee, sequela |
| S78.122A | Partial traumatic amputation at level between left hip and knee, initial encounter |
| S78.122D | Partial traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.122S | Partial traumatic amputation at level between left hip and knee, sequela |
| S78.129A | Partial traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.129D | Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.129S | Partial traumatic amputation at level between unspecified hip and knee, sequela |
| S78.911A | Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.911D | Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.911S | Complete traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.912A | Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.912D | Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.912S | Complete traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.919A | Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|-----------------------|---|
| S78.919D | Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.919S | Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S78.921A | Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.921D | Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.921S | Partial traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.922A | Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.922D | Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.922S | Partial traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.929A | Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.929D | Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.929S | Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S88.011A | Complete traumatic amputation at knee level, right lower leg, initial encounter |
| S88.011D | Complete traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.011S | Complete traumatic amputation at knee level, right lower leg, sequela |
| S88.012A | Complete traumatic amputation at knee level, left lower leg, initial encounter |
| S88.012D | Complete traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.012S | Complete traumatic amputation at knee level, left lower leg, sequela |
| S88.019A | Complete traumatic amputation at knee level, unspecified lower leg, initial encounter |
| S88.019D | Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.019S | Complete traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.021A | Partial traumatic amputation at knee level, right lower leg, initial encounter |
| S88.021D | Partial traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.021S | Partial traumatic amputation at knee level, right lower leg, sequela |
| S88.022A | Partial traumatic amputation at knee level, left lower leg, initial encounter |
| S88.022D | Partial traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.022S | Partial traumatic amputation at knee level, left lower leg, sequela |
| S88.029A | Partial traumatic amputation at knee level, unspecified lower leg, initial encounter |
| S88.029D | Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.029S | Partial traumatic amputation at knee level, unspecified lower leg, sequela |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| S88.911A | Complete traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.911D | Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.911S | Complete traumatic amputation of right lower leg, level unspecified, sequela |
| S88.912A | Complete traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.912D | Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.912S | Complete traumatic amputation of left lower leg, level unspecified, sequela |
| S88.919A | Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.919D | Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.919S | Complete traumatic amputation of unspecified lower leg, level unspecified, sequela |
| S88.921A | Partial traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.921D | Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.921S | Partial traumatic amputation of right lower leg, level unspecified, sequela |
| S88.922A | Partial traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.922D | Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.922S | Partial traumatic amputation of left lower leg, level unspecified, sequela |
| S88.929A | Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.929D | Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.929S | Partial traumatic amputation of unspecified lower leg, level unspecified, sequela |
| Z87.2 | Personal history of diseases of the skin and subcutaneous tissue |
| Z89.511 | Acquired absence of right leg below knee |
| Z89.512 | Acquired absence of left leg below knee |
| Z89.519 | Acquired absence of unspecified leg below knee |
| Z89.611 | Acquired absence of right leg above knee |
| Z89.612 | Acquired absence of left leg above knee |
| Z89.619 | Acquired absence of unspecified leg above knee |
| Z89.621 | Acquired absence of right hip joint |
| Z89.622 | Acquired absence of left hip joint |
| Z89.629 | Acquired absence of unspecified hip joint |

ICD-10-CM Diagnosis Codes That Support Medical Necessity

The following is a list of diagnosis codes that support medical necessity for HCPCS code E2609.

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| B91 | Sequelae of poliomyelitis |
| E75.00 | GM2 gangliosidosis, unspecified |
| E75.01 | Sandhoff disease |
| E75.02 | Tay-Sachs disease |
| E75.09 | Other GM2 gangliosidosis |
| E75.10 | Unspecified gangliosidosis |
| E75.11 | Mucopolipidosis IV |
| E75.19 | Other gangliosidosis |
| E75.23 | Krabbe disease |
| E75.25 | Metachromatic leukodystrophy |
| E75.27 | Pelizaeus-Merzbacher disease |
| E75.28 | Canavan disease |
| E75.29 | Other sphingolipidosis |
| E75.4 | Neuronal ceroid lipofuscinosis |
| F03.90 | Unspecified dementia, unspecified severity, with behavioral disturbance |
| F03.911 | Unspecified dementia, unspecified severity, with agitation |
| F03.918 | Unspecified dementia, unspecified severity, with other behavioral disturbance |
| F03.92 | Unspecified dementia, unspecified severity, with psychotic disturbance |
| F03.93 | Unspecified dementia, unspecified severity, with mood disturbance |
| F03.94 | Unspecified dementia, unspecified severity, with anxiety |
| F03.A11 | Unspecified dementia, mild, with agitation |
| F03.A18 | Unspecified dementia, mild, with other behavioral disturbance |
| F03.A2 | Unspecified dementia, mild, with psychotic disturbance |
| F03.A3 | Unspecified dementia, mild, with mood disturbance |
| F03.A4 | Unspecified dementia, mild, with anxiety |
| F03.B11 | Unspecified dementia, moderate, with agitation |
| F03.B18 | Unspecified dementia, moderate, with other behavioral disturbance |
| F03.B2 | Unspecified dementia, moderate, with psychotic disturbance |
| F03.B3 | Unspecified dementia, moderate, with mood disturbance |
| F03.B4 | Unspecified dementia, moderate, with anxiety |
| F03.C11 | Unspecified dementia, severe, with agitation |
| F03.C18 | Unspecified dementia, severe, with other behavioral disturbance |
| F03.C2 | Unspecified dementia, severe, with psychotic disturbance |
| F03.C3 | Unspecified dementia, severe, with mood disturbance |
| F03.C4 | Unspecified dementia, severe, with anxiety |
| F84.2 | Rett's syndrome |
| G04.1 | Tropical spastic paraplegia |
| G04.82 | Acute flaccid myelitis |
| G04.89 | Other myelitis |
| G10 | Huntington's disease |
| G11.0 | Congenital nonprogressive ataxia |
| G11.10 | Early-onset cerebellar ataxia, unspecified |
| G11.11 | Friedreich ataxia |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| G11.19 | Other early onset cerebellar ataxia |
| G11.2 | Late-onset cerebellar ataxia |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.4 | Hereditary spastic paraplegia |
| G11.8 | Other hereditary ataxias |
| G11.9 | Hereditary ataxia, unspecified |
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.20 | Motor neuron disease, unspecified |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.23 | Primary lateral sclerosis |
| G12.24 | Familial motor neuron disease |
| G12.25 | Progressive spinal muscle atrophy |
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G20.A1 | Parkinson's disease without dyskinesia, without mention of fluctuations |
| G20.A2 | Parkinson's disease without dyskinesia, with fluctuations |
| G20.B1 | Parkinson's disease with dyskinesia, without mention of fluctuations |
| G20.B2 | Parkinson's disease with dyskinesia, with fluctuations |
| G20.C | Parkinsonism, unspecified |
| G21.4 | Vascular parkinsonism |
| G24.1 | Genetic torsion dystonia |
| G30.0 | Alzheimer's disease with early onset |
| G30.1 | Alzheimer's disease with late onset |
| G30.8 | Other Alzheimer's disease |
| G30.9 | Alzheimer's disease, unspecified |
| G31.80 | Leukodystrophy, unspecified |
| G31.81 | Alpers disease |
| G31.82 | Leigh's disease |
| G31.83 | Neurocognitive disorder with Lewy bodies |
| G31.86 | Alexander disease |
| G31.89 | Other specified degenerative diseases of nervous system |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G32.81 | Cerebellar ataxia in diseases classified elsewhere |
| G32.89 | Other specified degenerative disorders of nervous system in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G36.0 | Neuromyelitis optica [Devic] |
| G36.1 | Acute and subacute hemorrhagic leukoencephalitis [Hurst] |
| G36.8 | Other specified acute disseminated demyelination |
| G36.9 | Acute disseminated demyelination, unspecified |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| G37.0 | Diffuse sclerosis of central nervous system |
| G37.1 | Central demyelination of corpus callosum |
| G37.2 | Central pontine myelinolysis |
| G37.3 | Acute transverse myelitis in demyelinating disease of central nervous system |
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.81 | Myelin oligodendrocyte glycoprotein antibody disease |
| G37.89 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G60.0 | Hereditary motor and sensory neuropathy |
| G61.0 | Guillain-Barre syndrome |
| G71.00 | Muscular dystrophy, unspecified |
| G71.01 | Duchenne or Becker muscular dystrophy |
| G71.02 | Facioscapulohumeral muscular dystrophy |
| G71.031 | Autosomal dominant limb girdle muscular dystrophy |
| G71.032 | Autosomal recessive limb girdle muscular dystrophy due to calpain-3 dysfunction |
| G71.033 | Limb girdle muscular dystrophy due to dysferlin dysfunction |
| G71.0340 | Limb girdle muscular dystrophy due to sarcoglycan dysfunction, unspecified |
| G71.0341 | Limb girdle muscular dystrophy due to alpha sarcoglycan dysfunction |
| G71.0342 | Limb girdle muscular dystrophy due to beta sarcoglycan dysfunction |
| G71.0349 | Limb girdle muscular dystrophy due to other sarcoglycan dysfunction |
| G71.035 | Limb girdle muscular dystrophy due to anoctamin-5 dysfunction |
| G71.038 | Other limb girdle muscular dystrophy |
| G71.039 | Limb girdle muscular dystrophy, unspecified |
| G71.09 | Other specified muscular dystrophies |
| G71.11 | Myotonic muscular dystrophy |
| G71.20 | Congenital myopathy, unspecified |
| G71.21 | Nemaline myopathy |
| G71.220 | X-linked myotubular myopathy |
| G71.228 | Other centronuclear myopathy |
| G71.29 | Other congenital myopathy |
| G80.0 | Spastic quadriplegic cerebral palsy |
| G80.1 | Spastic diplegic cerebral palsy |
| G80.2 | Spastic hemiplegic cerebral palsy |
| G80.3 | Athetoid cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.9 | Cerebral palsy, unspecified |
| G81.00 | Flaccid hemiplegia affecting unspecified side |
| G81.01 | Flaccid hemiplegia affecting right dominant side |
| G81.02 | Flaccid hemiplegia affecting left dominant side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| G81.03 | Flaccid hemiplegia affecting right nondominant side |
| G81.04 | Flaccid hemiplegia affecting left nondominant side |
| G81.10 | Spastic hemiplegia affecting unspecified side |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G81.90 | Hemiplegia, unspecified affecting unspecified side |
| G81.91 | Hemiplegia, unspecified affecting right dominant side |
| G81.92 | Hemiplegia, unspecified affecting left dominant side |
| G81.93 | Hemiplegia, unspecified affecting right nondominant side |
| G81.94 | Hemiplegia, unspecified affecting left nondominant side |
| G82.20 | Paraplegia, unspecified |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |
| G82.50 | Quadriplegia, unspecified |
| G82.51 | Quadriplegia, C1-C4 complete |
| G82.52 | Quadriplegia, C1-C4 incomplete |
| G82.53 | Quadriplegia, C5-C7 complete |
| G82.54 | Quadriplegia, C5-C7 incomplete |
| G83.10 | Monoplegia of lower limb affecting unspecified side |
| G83.11 | Monoplegia of lower limb affecting right dominant side |
| G83.12 | Monoplegia of lower limb affecting left dominant side |
| G83.13 | Monoplegia of lower limb affecting right nondominant side |
| G83.14 | Monoplegia of lower limb affecting left nondominant side |
| G93.89 | Other specified disorders of brain |
| G93.9 | Disorder of brain, unspecified |
| G94 | Other disorders of brain in diseases classified elsewhere |
| G95.0 | Syringomyelia and syringobulbia |
| G95.11 | Acute infarction of spinal cord (embolic) (nonembolic) |
| G95.19 | Other vascular myelopathies |
| G99.2 | Myelopathy in diseases classified elsewhere |
| I69.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|-----------------------|---|
| I69.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.243 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.249 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|-----------------------|---|
| I69.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.341 | Monoplegia of lower limb following cerebral infarction affecting right dominant side |
| I69.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side |
| I69.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side |
| I69.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side |
| I69.349 | Monoplegia of lower limb following cerebral infarction affecting unspecified side |
| I69.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| I69.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |
| I69.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| I69.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| I69.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side |
| I69.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side |
| I69.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side |
| I69.843 | Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side |
| I69.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side |
| I69.849 | Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side |
| I69.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| I69.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| I69.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| I69.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |

| ICD-10-CM Code | Description |
|----------------|--|
| I69.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side |
| I69.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side |
| I69.942 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side |
| I69.943 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.944 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.949 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side |
| I69.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| I69.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| I69.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side |
| L89.130 | Pressure ulcer of right lower back, unstageable |
| L89.131 | Pressure ulcer of right lower back, stage 1 |
| L89.132 | Pressure ulcer of right lower back, stage 2 |
| L89.133 | Pressure ulcer of right lower back, stage 3 |
| L89.134 | Pressure ulcer of right lower back, stage 4 |
| L89.140 | Pressure ulcer of left lower back, unstageable |
| L89.141 | Pressure ulcer of left lower back, stage 1 |
| L89.142 | Pressure ulcer of left lower back, stage 2 |
| L89.143 | Pressure ulcer of left lower back, stage 3 |
| L89.144 | Pressure ulcer of left lower back, stage 4 |
| L89.150 | Pressure ulcer of sacral region, unstageable |
| L89.151 | Pressure ulcer of sacral region, stage 1 |
| L89.152 | Pressure ulcer of sacral region, stage 2 |
| L89.153 | Pressure ulcer of sacral region, stage 3 |
| L89.154 | Pressure ulcer of sacral region, stage 4 |
| L89.200 | Pressure ulcer of unspecified hip, unstageable |
| L89.201 | Pressure ulcer of unspecified hip, stage 1 |
| L89.202 | Pressure ulcer of unspecified hip, stage 2 |
| L89.203 | Pressure ulcer of unspecified hip, stage 3 |
| L89.204 | Pressure ulcer of unspecified hip, stage 4 |

| ICD-10-CM Code | Description |
|----------------|---|
| L89.210 | Pressure ulcer of right hip, unstageable |
| L89.211 | Pressure ulcer of right hip, stage 1 |
| L89.212 | Pressure ulcer of right hip, stage 2 |
| L89.213 | Pressure ulcer of right hip, stage 3 |
| L89.214 | Pressure ulcer of right hip, stage 4 |
| L89.220 | Pressure ulcer of left hip, unstageable |
| L89.221 | Pressure ulcer of left hip, stage 1 |
| L89.222 | Pressure ulcer of left hip, stage 2 |
| L89.223 | Pressure ulcer of left hip, stage 3 |
| L89.224 | Pressure ulcer of left hip, stage 4 |
| L89.300 | Pressure ulcer of unspecified buttock, unstageable |
| L89.301 | Pressure ulcer of unspecified buttock, stage 1 |
| L89.302 | Pressure ulcer of unspecified buttock, stage 2 |
| L89.303 | Pressure ulcer of unspecified buttock, stage 3 |
| L89.304 | Pressure ulcer of unspecified buttock, stage 4 |
| L89.310 | Pressure ulcer of right buttock, unstageable |
| L89.311 | Pressure ulcer of right buttock, stage 1 |
| L89.312 | Pressure ulcer of right buttock, stage 2 |
| L89.313 | Pressure ulcer of right buttock, stage 3 |
| L89.314 | Pressure ulcer of right buttock, stage 4 |
| L89.320 | Pressure ulcer of left buttock, unstageable |
| L89.321 | Pressure ulcer of left buttock, stage 1 |
| L89.322 | Pressure ulcer of left buttock, stage 2 |
| L89.323 | Pressure ulcer of left buttock, stage 3 |
| L89.324 | Pressure ulcer of left buttock, stage 4 |
| L89.41 | Pressure ulcer of contiguous site of back, buttock and hip, stage 1 |
| L89.42 | Pressure ulcer of contiguous site of back, buttock and hip, stage 2 |
| L89.43 | Pressure ulcer of contiguous site of back, buttock and hip, stage 3 |
| L89.44 | Pressure ulcer of contiguous site of back, buttock and hip, stage 4 |
| L89.45 | Pressure ulcer of contiguous site of back, buttock and hip, unstageable |
| M62.3 | Immobility syndrome (paraplegic) |
| M62.89 | Other specified disorders of muscle |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.4 | Unspecified spina bifida with hydrocephalus |
| Q05.5 | Cervical spina bifida without hydrocephalus |
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |

| ICD-10-CM Code | Description |
|----------------|--|
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q67.8 | Other congenital deformities of chest |
| Q68.1 | Congenital deformity of finger(s) and hand |
| Q72.01 | Congenital complete absence of right lower limb |
| Q72.02 | Congenital complete absence of left lower limb |
| Q72.03 | Congenital complete absence of lower limb, bilateral |
| Q72.11 | Congenital absence of right thigh and lower leg with foot present |
| Q72.12 | Congenital absence of left thigh and lower leg with foot present |
| Q72.13 | Congenital absence of thigh and lower leg with foot present, bilateral |
| Q74.3 | Arthrogryposis multiplex congenita |
| Q78.0 | Osteogenesis imperfect |
| Q79.60 | Ehlers-Danlos syndrome, unspecified |
| Q79.61 | Classical Ehlers-Danlos syndrome |
| Q79.62 | Hypermobility Ehlers-Danlos syndrome |
| Q79.63 | Vascular Ehlers-Danlos syndrome |
| Q79.69 | Other Ehlers-Danlos syndromes |
| Q90.0 | Trisomy 21, nonmosaicism (meiotic nondisjunction) |
| Q90.1 | Trisomy 21, mosaicism (mitotic nondisjunction) |
| Q90.2 | Trisomy 21, translocation |
| Q90.9 | Down syndrome, unspecified |
| S78.011A | Complete traumatic amputation at right hip joint, initial encounter |
| S78.011D | Complete traumatic amputation at right hip joint, subsequent encounter |
| S78.011S | Complete traumatic amputation at right hip joint, sequela |
| S78.012A | Complete traumatic amputation at left hip joint, initial encounter |
| S78.012D | Complete traumatic amputation at left hip joint, subsequent encounter |
| S78.012S | Complete traumatic amputation at left hip joint, sequela |
| S78.019A | Complete traumatic amputation at unspecified hip joint, initial encounter |
| S78.019D | Complete traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.019S | Complete traumatic amputation at unspecified hip joint, sequela |
| S78.021A | Partial traumatic amputation at right hip joint, initial encounter |
| S78.021D | Partial traumatic amputation at right hip joint, subsequent encounter |
| S78.021S | Partial traumatic amputation at right hip joint, sequela |
| S78.022A | Partial traumatic amputation at left hip joint, initial encounter |
| S78.022D | Partial traumatic amputation at left hip joint, subsequent encounter |
| S78.022S | Partial traumatic amputation at left hip joint, sequela |
| S78.029A | Partial traumatic amputation at unspecified hip joint, initial encounter |
| S78.029D | Partial traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.029S | Partial traumatic amputation at unspecified hip joint, sequela |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|-----------------------|---|
| S78.111A | Complete traumatic amputation at level between right hip and knee, initial encounter |
| S78.111D | Complete traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.111S | Complete traumatic amputation at level between right hip and knee, sequela |
| S78.112A | Complete traumatic amputation at level between left hip and knee, initial encounter |
| S78.112D | Complete traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.112S | Complete traumatic amputation at level between left hip and knee, sequela |
| S78.119A | Complete traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.119D | Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.119S | Complete traumatic amputation at level between unspecified hip and knee, sequela |
| S78.121A | Partial traumatic amputation at level between right hip and knee, initial encounter |
| S78.121D | Partial traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.121S | Partial traumatic amputation at level between right hip and knee, sequela |
| S78.122A | Partial traumatic amputation at level between left hip and knee, initial encounter |
| S78.122D | Partial traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.122S | Partial traumatic amputation at level between left hip and knee, sequela |
| S78.129A | Partial traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.129D | Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.129S | Partial traumatic amputation at level between unspecified hip and knee, sequela |
| S78.911A | Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.911D | Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.911S | Complete traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.912A | Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.912D | Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.912S | Complete traumatic amputation of left hip and thigh, level unspecified, sequela |

| ICD-10-CM Code | Description |
|----------------|---|
| S78.919A | Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.919D | Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.919S | Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S78.921A | Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.921D | Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.921S | Partial traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.922A | Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.922D | Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.922S | Partial traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.929A | Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.929D | Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.929S | Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S88.011A | Complete traumatic amputation at knee level, right lower leg, initial encounter |
| S88.011D | Complete traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.011S | Complete traumatic amputation at knee level, right lower leg, sequela |
| S88.012A | Complete traumatic amputation at knee level, left lower leg, initial encounter |
| S88.012D | Complete traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.012S | Complete traumatic amputation at knee level, left lower leg, sequela |
| S88.019A | Complete traumatic amputation at knee level, unspecified lower leg, initial encounter |
| S88.019D | Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.019S | Complete traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.021A | Partial traumatic amputation at knee level, right lower leg, initial encounter |
| S88.021D | Partial traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.021S | Partial traumatic amputation at knee level, right lower leg, sequela |
| S88.022A | Partial traumatic amputation at knee level, left lower leg, initial encounter |
| S88.022D | Partial traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.022S | Partial traumatic amputation at knee level, left lower leg, sequela |
| S88.029A | Partial traumatic amputation at knee level, unspecified lower leg, initial encounter |

CLINICAL POLICY
Wheelchair Seating

| ICD-10-CM Code | Description |
|----------------|---|
| S88.029D | Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.029S | Partial traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.911A | Complete traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.911D | Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.911S | Complete traumatic amputation of right lower leg, level unspecified, sequela |
| S88.912A | Complete traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.912D | Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.912S | Complete traumatic amputation of left lower leg, level unspecified, sequela |
| S88.919A | Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.919D | Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.919S | Complete traumatic amputation of unspecified lower leg, level unspecified, sequela |
| S88.921A | Partial traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.921D | Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.921S | Partial traumatic amputation of right lower leg, level unspecified, sequela |
| S88.922A | Partial traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.922D | Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.922S | Partial traumatic amputation of left lower leg, level unspecified, sequela |
| S88.929A | Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.929D | Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.929S | Partial traumatic amputation of unspecified lower leg, level unspecified, sequela |
| Z87.2 | Personal history of diseases of the skin and subcutaneous tissue |
| Z89.511 | Acquired absence of right leg below knee |
| Z89.512 | Acquired absence of left leg below knee |
| Z89.519 | Acquired absence of unspecified leg below knee |
| Z89.611 | Acquired absence of right leg above knee |
| Z89.612 | Acquired absence of left leg above knee |
| Z89.619 | Acquired absence of unspecified leg above knee |
| Z89.621 | Acquired absence of right hip joint |
| Z89.622 | Acquired absence of left hip joint |
| Z89.629 | Acquired absence of unspecified hip joint |

Note: HCPCS codes E0955, E2601, E2602, E2611, E2612, and E2619 have no diagnosis-code restrictions.

| Reviews, Revisions, and Approvals | Revision Date | Approval Date |
|--|----------------------|----------------------|
| Policy created, Therapist reviewed | 09/15 | 10/15 |
| References reviewed and updated. Updated disclaimer language. Added ICD-10 codes per LCDs. Moved E0992 to not medically necessary codes per LCD. | 09/16 | 10/16 |
| References reviewed and updated as per LCD L33312, revised 1/1/17 2018 ICD-10 Code updates. | 10/17 | 10/17 |
| Added E0953 as medically necessary to C. as per LCD L33312. Added E0953 to code section, "Positioning Accessories". Added ICD-10 codes per LCD. References reviewed and updated. | 09/18 | 09/18 |
| References reviewed and updated as per LCD L33312, revised 1/1/19 ICD-10 code updates: added G61.0, G71.00, G71.01, G71.02 and G71.09 as medically necessary per revised LCD. Added ICD-10 codes M62.3, M62.89, Q67.8, Q68.1 and Q74.3 as codes that support E2609 which were inadvertently omitted from this section of the policy. | 08/19 | 09/19 |
| Typo corrected in II.B- Should be K0860-K0864, rather than K0860, K0864. For clarity, added the codes included in this range. References reviewed and updated. ICD-10 10/1/20 coding updates: Replaced G11.1 with G11.10 and revised description. Added subcategories G11.11 and G11.19. Replaced G71.2 with G71.20 and revised description. Added subcategories G71.21, G71.220, G71.228 and G71.29. Removed "member" from criteria and reworded, without impact on criteria. When not possible to remove, replaced "member" with "member/enrollee." Replaced "members" with "members/enrollees" in the disclaimer of the policy. | 09/20 | 09/20 |
| References reviewed, reformatted and updated. Added "unspecified" to description of G71.00 in all instances. Changed "review date" in the header to "date of last revision" and "date" in the revision log header to "revision date." | 07/21 | 07/21 |
| Annual review. References reviewed and updated. Per 2022 annual ICD-10-CM code updates, added ICD-10 code G04.82 to tables with the following HCPCS codes: E2603, E2604, E2622, and E2623; E0953, E0956, E0957, E0960, E2605, E2606, E2613-E2617, E2620 and E2621; and E2609. Revised language preceding coding tables from "procedure codes" to "HCPCS code." | 03/22 | 03/22 |
| Annual review. Added "dementia" and "hereditary motor and sensory neuropathy" to I.B.2. Added "congenital absence of thigh and/or lower limb" to I.C.2. Added ICD-10 codes F03.90, F03.911, F03.918, F03.92, F03.93, F03.94, F03.A11, F03.A18, F03.A2, F03.A3, F03.A4, F03.B11, F03.B18, F03.B2, F03.B3, F03.B4, F03.C11, F03.C18, F03.C2, F03.C3, F03.C4, G31.83, G60.0, Q79.60, Q79.61, Q79.62, Q79.63, Q79.69, | 03/23 | 03/23 |

| Reviews, Revisions, and Approvals | Revision Date | Approval Date |
|--|---------------|---------------|
| <p>Q90.0, Q90.1, Q90.2, Q90.9, G71.031, G71.032, G71.033, G71.0340, G71.0341, G71.0342, G71.0349, G71.035, G71.038, and G71.039 to tables with the following HCPCS codes: E2603, E2604, E2622, and E2623; E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E2616, E2617, E2620, and E2621; E2607, E2608, E2624, and E2625; and E2609. Added Q72.01, Q72.02, Q72.03, Q72.11, Q72.12, and Q72.13 to tables with the following HCPCS codes: E2607, E2608, E2624, and E2625; and E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E2616, E2617, E2620, and E2621; and E2609. References reviewed and updated.</p> | | |
| <p>Added ICD-10 codes E75.27, E75.28, G20.A1, G20.A2, G20.B1, G20.B2, G20.C, G31.80, G31.86, G37.81, G37.89 to tables with the following HCPCS codes: E2603, E2604, E2622, and E2623; E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E2616, E2617, E2620 and E2621; E2607, E2608, E2624, E2625; and E2609. Added Z87.2 to ICD-10 tables with the following HCPCS codes: E2607, E2608, E2624, and E2625, as well as to the list of pressure ulcer codes before the ICD-10 table. Added Z87.2 to the ICD-10 table for HCPCS E2609. Removed ICD-10 codes G20 and G37.8 from tables with the following HCPCS codes: E2603, E2604, E2622, and E2623; E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E2616, E2617, E2620 and E2621; E2607, E2608, E2624, E2625; and E2609.</p> | 01/24 | |

References

1. *HCPCS Level II, 2023*
2. *ICD-10-CM Official Code Set, 2023.*
3. Local coverage determination: Wheelchair Seating (L33312). Centers for Medicare and Medicaid services website. <http://www.cms.hhs.gov/mcd/search.asp>. Published October 1, 2015. (revised January 1, 2020.) Accessed February 22, 2023.
4. Local coverage article: Wheelchair Seating-Policy article (A52505). Centers for Medicare and Medicaid services website. <http://www.cms.hhs.gov/mcd/search.asp>. Published October 1, 2015 (revised October 1, 2022.) Accessed February 22, 2023.

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health

CLINICAL POLICY

Wheelchair Seating

plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

Note: For Medicaid members/enrollees, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Note: For Medicare members/enrollees, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed prior to applying the criteria

CLINICAL POLICY

Wheelchair Seating

set forth in this clinical policy. Refer to the CMS website at <http://www.cms.gov> for additional information.

©2016 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.