Anxiolytics & Sedatives/Hypnotics Clinical Edit Criteria



Drug/Drug Class:

Sedatives/Hypnotics - Adults

Superior HealthPlan follows the guidance of the Texas Vendor Drug Program (VDP) for all clinical edit criteria. This clinical edit criteria applies to all Superior HealthPlan STAR, STAR Health, STAR Kids, STAR+PLUS and CHIP members. Superior has adjusted the anxiolytic and sedative hypnotic clinical criteria to ease the prior authorization process regarding this clinical edit. Superior HealthPlan is only implementing and coding clinical criteria for non-benzodiazepines sedatives/hypnotics- adutls and step 1 has been removed as a requirement from the criteria. The criteria for anxiolytics and all other parts of this edit will not be implemented at this time. Benzodiazepines are removed from the coding of the sedative/hypnotic- adults portion of the edit. Adjusted criteria steps are outlined/highlighted in yellow.

The original clinical edit can be referenced https://paxpress.txpa.hidinc.com/ash.pdf

Clinical Edit Information Included in this Document:

- Anxiolytics Alprazolam
- Anxiolytics Chlordiazepoxide, Meprobamate & Oxazepam
- Anxiolytics Clonazepam & Diazepam
- Anxiolytics Clorazepate
- Anxiolytics Lorazepam
- Sedatives/Hypnotics Chloral Hydrate & Butabarbital
- Sedatives/Hypnotics Flurazepam
- Sedatives/Hypnotics Ramelteon
- Sedatives/Hypnotics- Adults
- Drugs requiring prior authorization: the list of drugs requiring prior authorization for this clinical criteria.
- Prior authorization criteria logic: a description of how the prior authorization request will be evaluated against the clinical criteria rules.
- Logic diagram: a visual depiction of the clinical edit criteria logic.
- Diagnosis codes or drugs in step logic: a list of diagnosis codes or drug information and additional step logic, claims and lookback period information.
- Supporting tables: a collection of information associated with the steps within the criteria (diagnosis codes, procedure codes, and therapy codes); provided when applicable
- Clinical Edit References: clinical edit references as provided by the Texas Vendor Drug Program.
- Publication history: to track when the eased criteria was put into production and any updates since this time.

Please note: All tables are provided by original Anxiolytics and Sedatives/Hypnotics Texas Vendor Drug Program Edit.


Drugs Requiring Prior Authorization Sedatives/Hypnotics – Adults

Drugs Requiring Prior Authorization		
Label Name	GCN	
AMBIEN 5 MG TABLET	00870	
AMBIEN 10 MG TABLET	00871	
AMBIEN CR 6.25 MG TABLET	25456	
AMBIEN CR 12.5 MG TABLET	25457	
BELSOMRA 10 MG TABLET	36968	
BELSOMRA 15 MG TABLET	36969	
BELSOMRA 20 MG TABLET	36971	
BELSOMRA 5 MG TABLET	36967	
EDLUAR 5 MG SL TABLET	26183	
EDLUAR 10 MG SL TABLET	26182	
ESTAZOLAM 1 MG TABLET	19181	
ESTAZOLAM 2 MG TABLET	19182	
ESZOPICLONE 1 MG TABLET	23927	
ESZOPICLONE 2 MG TABLET	23926	
ESZOPICLONE 3 MG TABLET	23925	
INTERMEZZO 1.75 MG TAB SUBLING	31562	
INTERMEZZO 3.5 MG TAB SUBLING	31563	
LUNESTA 1 MG TABLET	23927	
LUNESTA 2 MG TABLET	23926	
LUNESTA 3 MG TABLET	23925	
RESTORIL 7.5 MG CAPSULE	13845	
RESTORIL 15 MG CAPSULE	<mark>13840</mark>	
RESTORIL 22.5 MG CAPSULE	<mark>24036</mark>	
RESTORIL 30 MG CAPSULE	<mark>13841</mark>	
SONATA 5 MG CAPSULE	92713	
SONATA 10 MG CAPSULE	92723	
TEMAZEPAM 7.5 MG CAPSULE	<mark>13845</mark>	
TEMAZEPAM 15 MG CAPSULE	<mark>13840</mark>	
TEMAZEPAM 22.5 MG CAPSULE	<mark>24036</mark>	
TEMAZEPAM 30 MG CAPSULE	<mark>13841</mark>	
TRIAZOLAM 0.125 MG TABLET	<mark>14282</mark>	
TRIAZOLAM 0.25 MG TABLET	<mark>14280</mark>	
ZALEPLON 5 MG CAPSULE	92713	
ZALEPLON 10 MG CAPSULE	92723	
ZOLPIDEM TART 1.75 MG TABLET SL	31562	
ZOLPIDEM TART 3.5 MG TABLET SL	31563	
ZOLPIDEM TART ER 6.25 MG TAB	25456	
ZOLPIDEM TART ER 12.5 MG TAB	25457	
ZOLPIDEM TARTRATE 5 MG TABLET	00870	
ZOLPIDEM TARTRATE 10 MG TABLET	00871	

Superior HealthPlan Clinical Criteria Logic Sedatives/Hypnotics - Adults

1. Does the client have a history of a sedative/hypnotic agent for 90 days in the last 150 days?
[] Yes (Approve – 365 days) [] No (Go to #2)
2. Is the incoming request for less than or equal to (≤) 1 days supply? [] Yes (Go to #3) [] No (Go to #4)
3. Is the incoming request for less than or equal to (≤) 5 units per day? [] Yes (Approve – 1 day) [] No (Go to #4)
4. Does the client have a diagnosis of chronic sleep disorder in the last 730 days? [] Yes (Go to #6) [] No (Go to #5)
5. Does the client have a diagnosis of drug abuse in the last 730 days? [] Yes (Deny) [] No (Go to #6)
6. Is the client less than (<) 19 years of age? [] Yes (Deny) [] No (Go to #7)
7. Does the client have a diagnosis of insomnia in the last 365 days? [] Yes (Go to #8) [] No (Go to #9)
8. Does the client have a history of a sedative/hypnotic agent for 90 days in the last 120 days? [] Yes (Deny) [] No (Approve – 90 days)
9. Does the client have a history of a sedative/hypnotic agent for 30 days in the last 60 days? [] Yes (Deny) [] No (Approve – 90 days)

Superior HealthPlan Clinical Edit Logic Diagram Sedatives/Hypnotics - Adults



Clinical Criteria Supporting Tables

Chronic Sleep Disorder Diagnoses	
Required diagnosis: 1	
Look back timeframe: 365 or 730 days	
ICD-10 Code	Description
F519	SLEEP DISORDER NOT DUE TO A SUBSTANCE OR KNOWN PHYSIOLOGICAL CONDITION, UNSPECIFIED
F5101	PRIMARY INSOMNIA
F5103	PARADOXICAL INSOMNIA
F5109	OTHER INSOMNIA NOT DUE TO A SUBSTANCE OR KNOWN PHYSIOLOGICAL CONDITION
G4701	INSOMNIA DUE TO MEDICAL CONDITION
F5105	INSOMNIA DUE TO OTHER MENTAL DISORDER
F5104	PSYCHOPHYSIOLOGIC INSOMNIA
G4709	OTHER INSOMNIA
G479	SLEEP DISORDER, UNSPECIFIED
G4700	INSOMNIA, UNSPECIFIED

Drug Abuse Diagnoses		
Required diagnosis: 1		
Look back timeframe: 730 days		
ICD-10 Code	Description	
F1129	OPIOID DEPENDENCE WITH UNSPECIFIED	
	OPIOID-INDUCED DISORDER	
F1124	OPIOID DEPENDENCE WITH OPIOID-INDUCED	
	MOOD DISORDER	

Drug Abuse Diagnoses		
Required diagnosis: 1		
Look back timeframe: 730 days		
ICD-10 Code Description		
F11282	OPIOID DEPENDENCE WITH OPIOID-INDUCED SLEEP	
1 11202	DISORDER	
F11288	OPIOID DEPENDENCE WITH OTHER OPIOID-INDUCED	
	DISORDER	
F11229	OPIOID DEPENDENCE WITH INTOXICATION, UNSPECIFIED	
F11259	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC	
E44004	DISORDER, UNSPECIFIED	
F11281	OPIOID DEPENDENCE WITH OPIOID-INDUCED SEXUAL DYSFUNCTION	
F11221	OPIOID DEPENDENCE WITH INTOXICATION DELIRIUM	
F11250	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC	
	DISORDER WITH DELUSIONS	
F11251	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC	
	DISORDER WITH HALLUCINATIONS	
F1123	OPIOID DEPENDENCE WITH WITHDRAWAL	
F11222	OPIOID DEPENDENCE WITH INTOXICATION WITH	
	PERCEPTUAL DISTURBANCE	
F11220	OPIOID DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	
F1120	OPIOID DEPENDENCE, UNCOMPLICATED	
F1121	OPIOID DEPENDENCE, IN REMISSION	
F13288	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
	OTHER SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED	
	DISORDER	
F13280	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
	SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED ANXIETY	
	DISORDER	
F13281	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
	SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED SEXUAL	
	DYSFUNCTION	
F13282	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
	SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED SLEEP	
	DISORDER	
F13259	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
	SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED PSYCHOTIC	
	DISORDER, UNSPECIFIED	
F1326	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
	SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED PERSISTING	
	AMNESTIC DISORDER	
F1329	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
	UNSPECIFIED SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED	
	DISORDER	
F13250	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
	SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED PSYCHOTIC	
	DISORDER WITH DELUSIONS	

Drug Abuse Diagnoses		
Required diagnosis: 1		
Look back timeframe: 730 days		
ICD-10 Code	Description	
F13251	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH SEDATIVE,	
13231	HYPNOTIC OR ANXIOLYTIC-INDUCED PSYCHOTIC DISORDER WITH	
	HALLUCINATIONS	
F13232	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH WITHDRAWAL	
F 13232	WITH PERCEPTUAL DISTURBANCE	
F13239	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
F 13239	WITHDRAWAL, UNSPECIFIED	
F1327	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH SEDATIVE,	
F1327	HYPNOTIC OR ANXIOLYTIC-INDUCED PERSISTING DEMENTIA	
F13230		
F13230	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
E42024	WITHDRAWAL, UNCOMPLICATED	
F13231	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH WITHDRAWAL	
F10000	DELIRIUM	
F13220	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
E40004	INTOXICATION, UNCOMPLICATED	
F13221	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
F1001	INTOXICATION DELIRIUM	
F1324	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH SEDATIVE,	
F10000	HYPNOTIC OR ANXIOLYTIC-INDUCED MOOD DISORDER	
F13229	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH	
E4000	INTOXICATION, UNSPECIFIED	
F1320	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE, UNCOMPLICATED	
F1321	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE, IN REMISSION	
F14251	COCAINE DEPENDENCE WITH COCAINE-INDUCED PSYCHOTIC	
E44000	DISORDER WITH HALLUCINATIONS	
F14288	COCAINE DEPENDENCE WITH OTHER COCAINE-INDUCED DISORDER	
F1429	COCAINE DEPENDENCE WITH UNSPECIFIED COCAINE-INDUCED	
	DISORDER	
F14281	COCAINE DEPENDENCE WITH COCAINE-INDUCED SEXUAL	
	DYSFUNCTION	
F14282	COCAINE DEPENDENCE WITH COCAINE-INDUCED SLEEP DISORDER	
F14222	COCAINE DEPENDENCE WITH INTOXICATION WITH PERCEPTUAL	
	DISTURBANCE	
F14259	COCAINE DEPENDENCE WITH COCAINE-INDUCED PSYCHOTIC	
	DISORDER, UNSPECIFIED	
F14280	COCAINE DEPENDENCE WITH COCAINE-INDUCED ANXIETY DISORDER	
F1424	COCAINE DEPENDENCE WITH COCAINE-INDUCED MOOD DISORDER	
F14250	COCAINE DEPENDENCE WITH COCAINE-INDUCED PSYCHOTIC	
	DISORDER WITH DELUSIONS	
F14229	COCAINE DEPENDENCE WITH INTOXICATION, UNSPECIFIED	
F1423	COCAINE DEPENDENCE WITH WITHDRAWAL	
F14220	COCAINE DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	
F14221	COCAINE DEPENDENCE WITH INTOXICATION DELIRIUM	
F1420	COCAINE DEPENDENCE, UNCOMPLICATED	
F1421	COCAINE DEPENDENCE, IN REMISSION	

Drug Abuse Diagnoses	
Required diagnosis: 1	
Look back timeframe: 730 days	
ICD-10 Code Description	
CANNABIS DEPENDENCE WITH PSYCHOTIC DISORDER WITH	
HALLUCINATIONS	
CANNABIS DEPENDENCE WITH OTHER CANNABIS-INDUCED DISORDER	
CANNABIS DEPENDENCE WITH UNSPECIFIED CANNABIS- INDUCED DISORDER	
CANNABIS DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	
CANNABIS DEPENDENCE WITH PSYCHOTIC DISORDER, UNSPECIFIED	
CANNABIS DEPENDENCE WITH CANNABIS-INDUCED ANXIETY DISORDER	
CANNABIS DEPENDENCE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	
CANNABIS DEPENDENCE WITH INTOXICATION, UNSPECIFIED	
CANNABIS DEPENDENCE WITH PSYCHOTIC DISORDER WITH DELUSIONS	
CANNABIS DEPENDENCE, UNCOMPLICATED	
CANNABIS DEPENDENCE WITH INTOXICATION DELIRIUM	
CANNABIS DEPENDENCE, IN REMISSION	
OTHER STIMULANT DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	
OTHER STIMULANT DEPENDENCE, UNCOMPLICATED	
OTHER STIMULANT DEPENDENCE WITH INTOXICATION WITH	
PERCEPTUAL DISTURBANCE	
OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED MOOD DISORDER	
OTHER STIMULANT DEPENDENCE WITH INTOXICATION DELIRIUM	
OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	
OTHER STIMULANT DEPENDENCE WITH INTOXICATION, UNSPECIFIED	
OTHER STIMULANT DEPENDENCE WITH WITHDRAWAL	
OTHER STIMULANT DEPENDENCE WITH WITHDRAWAL OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED	
SEXUAL DYSFUNCTION	
OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	
OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	
OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED ANXIETY DISORDER	
OTHER STIMULANT DEPENDENCE WITH UNSPECIFIED STIMULANT-INDUCED DISORDER	

Drug Abuse Diagnoses		
Required diagnosis: 1		
Look back timeframe: 730 days		
ICD-10 Code Description		
F15282	OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED	
1 10202	SLEEP DISORDER	
F15288	OTHER STIMULANT DEPENDENCE WITH OTHER STIMULANT-	
	INDUCED DISORDER	
F1521	OTHER STIMULANT DEPENDENCE, IN REMISSION	
F1629	HALLUCINOGEN DEPENDENCE WITH UNSPECIFIED	
	HALLUCINOGEN-INDUCED DISORDER	
F16280	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED	
	ANXIETY DISORDER	
F16283	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN	
	PERSISTING PERCEPTION DISORDER (FLASHBACKS)	
F16288	HALLUCINOGEN DEPENDENCE WITH OTHER HALLUCINOGEN-	
	INDUCED DISORDER	
F16251	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED	
	PSYCHOTIC DISORDER WITH HALLUCINATIONS	
F16259	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED	
	PSYCHOTIC DISORDER, UNSPECIFIED	
F16229	HALLUCINOGEN DEPENDENCE WITH INTOXICATION,	
	UNSPECIFIED	
F1624	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED	
540050	MOOD DISORDER	
F16250	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED	
F40000	PSYCHOTIC DISORDER WITH DELUSIONS	
F16220	HALLUCINOGEN DEPENDENCE WITH INTOXICATION,	
F16221	UNCOMPLICATED HALLUCINOGEN DEPENDENCE WITH INTOXICATION WITH	
F 10221	DELIRIUM	
F1620	HALLUCINOGEN DEPENDENCE, UNCOMPLICATED	
F1621	HALLUCINOGEN DEPENDENCE, UNCOMPLICATED HALLUCINOGEN DEPENDENCE, IN REMISSION	
F1929	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH	
F 1929	UNSPECIFIED PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER	
F19281	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH	
1 19201	PSYCHOACTIVE SUBSTANCE-INDUCED SEXUAL DYSFUNCTION	
F19251	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH	
1 19251	PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER	
	WITH HALLUCINATIONS	
F19282	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH	
1 10202	PSYCHOACTIVE SUBSTANCE-INDUCED SLEEP DISORDER	
F19288	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH OTHER	
	PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER	
F1927	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH	
	PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING DEMENTIA	
F19280	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH	
	PSYCHOACTIVE SUBSTANCE-INDUCED ANXIETY DISORDER	

Drug Abuse Diagnoses	
Required diagnosis: 1	
Look back timeframe: 730 days	
ICD-10 Code	Description
F19231	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
1 10201	WITH WITHDRAWAL DELIRIUM
F19259	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
1.0200	WITH PSYCHOACTIVE SUBSTANCE-INDUCED
	PSYCHOTIC DISORDER, UNSPECIFIED
F1926	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
1 1020	WITH PSYCHOACTIVE SUBSTANCE-INDUCED
	PERSISTING AMNESTIC DISORDER
F1924	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
	WITH PSYCHOACTIVE SUBSTANCE-INDUCED MOOD
	DISORDER
F19250	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
	WITH PSYCHOACTIVE SUBSTANCE-INDUCED
	PSYCHOTIC DISORDER WITH DELUSIONS
F19220	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
	WITH INTOXICATION, UNCOMPLICATED
F19232	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
	WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE
F19239	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
0200	WITH WITHDRAWAL, UNSPECIFIED
F19222	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE
F19229	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
0220	WITH INTOXICATION, UNSPECIFIED
F19230	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
	WITH WITHDRAWAL, UNCOMPLICATED
F1920	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE,
	UNCOMPLICATED
F19221	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE
	WITH INTOXICATION DELIRIUM
F18288	INHALANT DEPENDENCE WITH OTHER INHALANT-
	INDUCED DISORDER
F18280	INHALANT DEPENDENCE WITH INHALANT-INDUCED
	ANXIETY DISORDER
F18250	INHALANT DEPENDENCE WITH INHALANT-INDUCED
	PSYCHOTIC DISORDER WITH DELUSIONS
F1829	INHALANT DEPENDENCE WITH UNSPECIFIED INHALANT-
	INDUCED DISORDER
F18259	INHALANT DEPENDENCE WITH INHALANT-INDUCED
	PSYCHOTIC DISORDER, UNSPECIFIED
F1827	INHALANT DEPENDENCE WITH INHALANT-INDUCED
	DEMENTIA
F1824	INHALANT DEPENDENCE WITH INHALANT-INDUCED
	MOOD DISORDER
F18251	INHALANT DEPENDENCE WITH INHALANT-INDUCED
	PSYCHOTIC DISORDER WITH HALLUCINATIONS
F18221	INHALANT DEPENDENCE WITH INTOXICATION DELIRIUM
	•

Drug Abuse Diagnoses	
Required diagnosis: 1	
Look back timeframe: 730 days	
ICD-10 Code	Description
F18220	INHALANT DEPENDENCE WITH INTOXICATION,
	UNCOMPLICATED
F18229	INHALANT DEPENDENCE WITH INTOXICATION,
	UNSPECIFIED
F1820	INHALANT DEPENDENCE, UNCOMPLICATED
F1921	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE, IN
	REMISSION
F1821	INHALANT DEPENDENCE, IN REMISSION
F1010	ALCOHOL ABUSE, UNCOMPLICATED
F10129	ALCOHOL ABUSE WITH INTOXICATION, UNSPECIFIED
F10120	ALCOHOL ABUSE WITH INTOXICATION, UNCOMPLICATED
F1290	CANNABIS USE, UNSPECIFIED, UNCOMPLICATED
F1210	CANNABIS ABUSE, UNCOMPLICATED
F1610	HALLUCINOGEN ABUSE, UNCOMPLICATED
F1690	HALLUCINOGEN USE, UNSPECIFIED, UNCOMPLICATED
F16120	HALLUCINOGEN ABUSE WITH INTOXICATION,
	UNCOMPLICATED
F1310	SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE,
	UNCOMPLICATED
F1390	SEDATIVE, HYPNOTIC, OR ANXIOLYTIC USE,
	UNSPECIFIED, UNCOMPLICATED
F13120	SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE WITH
	INTOXICATION, UNCOMPLICATED
F11120	OPIOID ABUSE WITH INTOXICATION, UNCOMPLICATED
F1110	OPIOID ABUSE, UNCOMPLICATED
F1190	OPIOID USE, UNSPECIFIED, UNCOMPLICATED
F11129	OPIOID ABUSE WITH INTOXICATION, UNSPECIFIED
F14120	COCAINE ABUSE WITH INTOXICATION, UNCOMPLICATED
F1490	COCAINE USE, UNSPECIFIED, UNCOMPLICATED
F1410	COCAINE ABUSE, UNCOMPLICATED
F1590	OTHER STIMULANT USE, UNSPECIFIED,
	UNCOMPLICATED
F1510	OTHER STIMULANT ABUSE, UNCOMPLICATED
F15120	OTHER STIMULANT ABUSE WITH INTOXICATION,
	UNCOMPLICATED
F18120	INHALANT ABUSE WITH INTOXICATION,
	UNCOMPLICATED
F1810	INHALANT ABUSE, UNCOMPLICATED
F1890	INHALANT USE, UNSPECIFIED, UNCOMPLICATED

Insomnia Diagnoses	
Required diagnosis: 1	
Look back timeframe: 180 or 365 days	
ICD-10 Code	Description
F5101	PRIMARY INSOMNIA
F5103	PARADOXICAL INSOMNIA
F5109	OTHER INSOMNIA NOT DUE TO A SUBSTANCE
	OR KNOWN PHYSIOLOGICAL CONDITION
F5101	PRIMARY INSOMNIA
G4701	INSOMNIA DUE TO MEDICAL CONDITION
F5105	INSOMNIA DUE TO OTHER MENTAL DISORDER
F5104	PSYCHOPHYSIOLOGIC INSOMNIA

Sedative/Hypnotic Agents		
History of prior therapy in the past 30 or 90 days		
Required quantity: 1		
Look back timeframe: 60 or 120 days		
Label Name	GCN	
AMBIEN 5 MG TABLET	00870	
AMBIEN 10 MG TABLET	00871	
AMBIEN CR 6.25 MG TABLET	25456	
AMBIEN CR 12.5 MG TABLET	25457	
BELSOMRA 10 MG TABLET	36968	
BELSOMRA 15 MG TABLET	36969	
BELSOMRA 20 MG TABLET	36971	
BELSOMRA 5 MG TABLET	36967	
EDLUAR 5 MG SL TABLET	26183	
EDLUAR 10 MG SL TABLET	26182	
ESTAZOLAM 1 MG TABLET	19181	
ESTAZOLAM 2 MG TABLET	19182	
ESZOPICLONE 1 MG TABLET	23927	
ESZOPICLONE 2 MG TABLET	23926	
ESZOPICLONE 3 MG TABLET	23925	
INTERMEZZO 1.75 MG TAB SUBLING	31562	
INTERMEZZO 3.5 MG TAB SUBLING	31563	

Sedative/Hypnotic Agents		
History of prior therapy in the past 30 or 90 days		
Required quantity: 1		
Look back timeframe: 60 or 120 days		
Label Name	GCN	
LUNESTA 1 MG TABLET	23927	
LUNESTA 2 MG TABLET	23926	
LUNESTA 3 MG TABLET	23925	
RESTORIL 7.5 MG CAPSULE	13845	
RESTORIL 15 MG CAPSULE	13840	
RESTORIL 22.5 MG CAPSULE	24036	
RESTORIL 30 MG CAPSULE	13841	
SONATA 5 MG CAPSULE	92713	
SONATA 10 MG CAPSULE	92723	
TEMAZEPAM 7.5 MG CAPSULE	13845	
TEMAZEPAM 15 MG CAPSULE	13840	
TEMAZEPAM 22.5 MG CAPSULE	24036	
TEMAZEPAM 30 MG CAPSULE	13841	
TRIAZOLAM 0.125 MG TABLET	14282	
TRIAZOLAM 0.25 MG TABLET	14280	
ZALEPLON 5 MG CAPSULE	92713	
ZALEPLON 10 MG CAPSULE	92723	
ZOLPIDEM TART 1.75 MG TABLET SL	31562	
ZOLPIDEM TART 3.5 MG TABLET SL	31563	
ZOLPIDEM TART ER 6.25 MG TAB	25456	
ZOLPIDEM TART ER 12.5 MG TAB	25457	
ZOLPIDEM TARTRATE 5 MG TABLET	00870	
ZOLPIDEM TARTRATE 10 MG TABLET	00871	

Clinical Criteria References

- 1. Silber MH. Chronic insomnia. N Eng J Med 2005; 353:803–10.
- 2. Witek MW, Rojas V, Alonso C, et al. Review of benzodiazepine use in children and adolescents. Psychiatr Quart 2005; 76:283–96.
- 3. Davidson JRT. Pharmacotherapy of generalized anxiety disorder. J Clin Psychiatry 2001; 62(suppl 11): 46–50.
- Varley CK, Smith CJ. Anxiety disorders in the child and teen. Pediatr Clin N Am 2003; 50: 1107– 38
- 5. Pelayo R, Chen W, Monzon S, et al. Pediatric sleep pharmacology: You want to give my kid sleeping pills? Pediatr Clin N Am 2004; 51:117–34.
- 6. Eddy M, Walbroehl GS. Insomnia. Am Fam Phys 1999;59(7): 1911–6.
- 7. Infante M, Benca R. Treatment of insomnia. Prim Psychiatry 2006; 12:47–56.
- 8. Zohar J. World Council on Anxiety recommendations for the long-term treatment of anxiety. CNS Spectr 2003; 8:5–6.
- 9. Longo LP, Johnson B. Addiction: Part 1: Benzodiazepines- side effects, abuse risk and alternatives. Am Fam Physician 2000 Apr 1; 61(7):2121–8.
- 10. American Academy of Child and Adolescent Psychiatry. Practice parameters for the assessment and treatment of children and adolescents with anxiety disorders. J Am Acad Child Adolesc Psychiatry 1997; 36(Suppl 10):1–30.
- 11. Demartinis N, Rynn M, Rickels K, Mandos L. Prior benzodiazepine use and buspirone response in the treatment of generalized anxiety disorder. J Clin Psychiatry 2000; 61(2):91–4.
- 12. Owens JA, Babcock D, Blumer J, et al. The use of pharmacotherapy in the treatment of pediatric insomnia in primary care: Rational approaches. A consensus meeting summary. J Clin Sleep Med 2005; 1:49–59.
- 13. Mindell JA, Emslie G, Blumer J, et al. Pharmacologic management of insomnia in children and adolescents: Consensus Statement. Pediatrics 2006; 117:1223–32.
- 14. Owens J. Insomnia in children and adolescents. J Clin Sleep Med 2005; 1:454–8.
- 15. Clinical Pharmacology [online database]. Tampa, FL: Elsevier/Gold Standard, Inc.; 2018. Available at www.clinicalpharmacology.com. Accessed on February 23, 2018.
- 16. Micromedex [online database]. Available at www.micromedexsolutions.com. Accessed on February 23, 2018.
- 17. 2014 ICD-9-CM Diagnosis Codes, Volume 1. 2014. Available at http://www.icd9data.com/. Accessed on January 2, 2015.
- 18. 2014 ICD-10-CM Diagnosis Codes, Volume 1. 2014. Available at http://www.icd10data.com/. Accessed on January 2, 2015.

- 19. American Psychiatric Association (APA). Practice guideline for the treatment of patients with panic disorder. 2nd ed. Washington DC: American Psychiatric Association (APS); 2009 Jan. 90 p. Available at **www.psychiatryonline.org**. Accessed January 2, 2015.
- Connolly SD, Bernstein GA, et al. Practice Parameter for the Assessment and Treatment of Children and Adolescents With Anxiety Disorders. J Am Acad Child Adolesc Psychiatry 2007;46(2):267-283. Available at www.aacap.org. Accessed January 2, 2015.
- 21. Bandelow B, Sher L, Bunevicius R, et al. Guidelines for the pharmacological treatment of anxiety disorders, obsessive-compulsive disorder and posttraumatic stress disorder in primary care. Int J Psych Clin Pract 2012;16:77-84.
- 22. American Geriatrics Society 2015 Beers Criteria Update Expert Panel. American Geriatrics Society 2015 updated Beers Criteria for potentially inappropriate medication use in older adults. J Am Geriatr Soc. 2015 Nov;63(11):2227-46.
- 23. American Psychiatric Association (2013). Diagnostic and statistical manual of mental disorders (5th ed). Arlington, VA: American Psychiatric Publishing.
- 24. American Society of Addiction Medicine (ASAM). Public Policy Statement on Measures to Counteract Prescription Drug Diversion, Misuse and Addiction. Adopted January 2012. Available at www.asam.org. Accessed January 2, 2015.

Publication History:

Publication	Notes
<mark>05/29/2019</mark>	Criteria created and cross referenced to VDP criteria.