

New Guidance for 2025 HEDIS Toolkit

The National Committee for Quality Assurance (NCQA) has provided new guidance as part of the HEDIS MY25 Volume 2 Technical Update that were released March 31, 2025. The following table outlines the measures that have been updated by the NCQA, and the respective Superior HealthPlan provider materials on which the original measures were originally included. For the most updated HEDIS measurements and standards, visit the [NCQA](#) website.

Measure	Document	Change
(AMR) Asthma Medication Ratio	Quick Reference Guide HEDIS MY 2025 (PDF)	Remove "Albuterol budesonide" prescription from Asthma Reliever Medications grid
(BCS-E) Breast Cancer Screening	HEDIS Adult Pocket Guide: 2025 Measurement Year (PDF)	Change "(Females Age 50-74) to "(Members Age 40-74)"
	Quick Reference Guide HEDIS MY 2025 (PDF)	Change "Measure evaluates the percentage of members 50 to 74 years of age..." to "Measure evaluates the percentage of members 40 to 74 years of age..."
(CBP) Controlling High Blood Pressure	HEDIS Adult Pocket Guide: 2025 Measurement Year (PDF)	Remove "Telephone Visits" Best Practice
(EED) Eye Exam for Patients with Diabetes	HEDIS Adult Pocket Guide: 2025 Measurement Year (PDF)	Add the following to Best Practice: "All eye exams must have result."
	Quick Reference Guide HEDIS MY 2025 (PDF)	Add the following to Codes: "Autonomous Eye Exam: 92229"
(KED) Kidney Health Evaluation for Patients with DM	HEDIS Adult Pocket Guide: 2025 Measurement Year (PDF)	Change Description from "Automated Eye Exam" to "Autonomous Eye Exam"
(SNS-E) Social Needs Screening and Intervention	Quick Reference Guide HEDIS MY 2025 (PDF)	Change "EGR" to "eGFR"
(SPC) Statin Therapy for Patients with Cardiovascular Disease	Quick Reference Guide HEDIS MY 2025 (PDF)	For the "Children's Health Watch Housing Stability Vital Signs™" line, change the "Positive Finding LOINC Codes >3" to "Positive Finding LOINC Codes ≤ 2"
(TRC) Transitions of Care	Quick Reference Guide HEDIS MY 2025 (PDF)	Change "For this measure, medication reconciliation may be conducted by a prescribing practitioner, clinical pharmacist, physician assistant, or registered nurse." to "For this measure, medication reconciliation must be conducted by a prescribing practitioner, clinical pharmacist, physician assistant, or registered nurse."

For questions about this notice, please contact your Quality Practice Advisor.