### TX CLINICAL CRITERIA & PROCEDURE

CRITERIA NAME: Axicabtagene ciloleucel (Yescarta®)	CRITERIA ID: TX.CC.PHAR.03
BUSINESS UNIT: Superior HealthPlan	FUNCTIONAL AREA: Pharmacy
EFFECTIVE DATE: 4/2018	PRODUCT(S): STAR, STAR PLUS, STAR HEALTH,
	STAR KIDS, CHIP, CHIP Perinate
<b>REVIEWED/REVISED DATE:</b> 2/13/2019, 10/1/2019,	REGULATOR MOST RECENT APPROVAL DATE(S):
9/14/2020, 5/4/2021, 10/2021, 07/1/2022, 9/1/2022,	
8/14/2023, 11/3/2023, 2/27/2024, 11/21/2024,	
9/30/2025	

### **CRITERIA STATEMENT:**

The purpose of this clinical criteria is to provide a guide to medical necessity reviews for axicabtagene ciloleucel (Yescarta®).

#### **PURPOSE:**

Consistent with the regulation at 42 CFR Section 438.210 and 42 CFR Section 457.1230(d), services covered under managed care contracts, including clinician-administered drugs, must be furnished in an amount, duration, and scope that is no less than the amount, duration, and scope for the same services specified in the state plan. While MCOs may place appropriate limits on drugs, MCOs may not use a standard for determining medical necessity that is more restrictive than what is used in the state plan, i.e., developed by the Vendor Drug Program. For example, if a member is denied a clinician administered drug in managed care because of the MCO's prior authorization criteria but would have received the drug under the criteria specified in the state plan, then the MCO's prior authorization criteria would violate the amount, duration, and scope requirements cited above. HHSC intends to amend the Managed Care Contracts at the next opportunity to include this requirement. This same standard applies to CHIP formulary and CAD coverage.

Refer to the Outpatient Drug Services Handbook of the Texas Medicaid Provider Procedure Manual for more details on the clinical criteria and prior authorization requirements.

This medication is a non-risk based (NRB) payment drug and should follow state guidance for medical necessity review for Medicaid/CHIP due to the manner in which it is reimbursed. All determinations will be performed by a Medical Director. A pharmacy clinician will review the prior authorization request and make a recommendation to the Medical Director but will not make the ultimate determination on any case.

Additionally, this medication is a Precision Drug. Centene's Precision Drug Action Committee (PDAC) creates a standardized approach for Centene to manage Precision Drugs and the associated costs for their administration, prior to members presenting with a request for one of these agents. All Precision Drug requests or potential requests must be reported to the PDAC for tracking, regardless of whether agents are carved out, passed through, etc. All Precision Drug medical necessity determinations will be supported by PDAC UM recommendation, utilizing specialist input as directed and allowed by turnaround times.

The procedure code Q2041 (used for Yescarta) will be limited to once per lifetime, by any provider. If the code is updated in the future it will still be limited to once per lifetime

#### SCOPE:

This criteria applies to all directors, officers, and employees of Centene Corporation, its affiliates, health plans, and subsidiary companies (collectively, the "Company").

TX.CC.PHAR.03 Page 1 of 6

#### **DEFINITIONS:**

NRB = Non-risk based PDAC = Precision Drug Action Committee UM = Utilization Management

### **POLICY:**

It is the policy of Superior HealthPlan and Centene Pharmacy Services to follow state guidance for medical necessity review of axicabtagene ciloleucel (Yescarta®); procedure code: Q2041.

## Description/Mechanism of Action:

Axicabtagene ciloleucel (Yescarta®) is a CD19-directed genetically modified autologous T-cell immunotherapy.

## FDA Approved Indications:

Axicabtagene ciloleucel (Yescarta®) is indicated to treat the following:

- Adult clients with relapsed or refractory large B-cell lymphoma after two or more lines of systemic therapy, including diffuse large B-cell lymphoma (DLBCL) not otherwise specified, primary mediastinal large B-cell lymphoma, high grade B-cell lymphoma, and DLBCL arising from follicular lymphoma.
- Adult clients with relapsed or refractory follicular lymphoma (FL) after two or more lines of systemic therapy.
- Adult clients who have large B-cell lymphoma that is refractory to first-line chemoimmunotherapy or that relapses within 12 months of first-line chemoimmunotherapy.

There are authorized treatment centers to provide CAR T-cell therapies throughout the US. The following facilities are located within Texas:

- St. David's Healthcare (Austin)
- Baylor Charles A. Sammons Cancer Center (Dallas)
- UT Southwestern Medical Center Carter Blood Care (Dallas)
- Medical City (Dallas)
- Methodist Hospital (San Antonio)
- The University of Texas MD Anderson Cancer Center (Houston)
- Houston Methodist (Houston)
- Baylor Scott & White Medical Center (Temple)

#### PROCEDURE:

Provider <u>must</u> submit documentation (which may include office chart notes and lab results) supporting that member has met all approval criteria.

### I. Initial Approval Criteria:

- A. Large B-Cell Lymphoma (relapsed or refractory):
  - 1. A Medical Director is required to review and approve or deny all requests. A pharmacy clinician will make a recommendation on the prior authorization, but ultimate determination will be made by the Medical Director only.

TX.CC.PHAR.03 Page 2 of 6

- 2. Medical necessity determinations will be supported by PDAC UM recommendation. The pharmacy clinician will review the UM recommendation with the prior authorization request for clinical appropriateness and make a recommendation to the Medical Director but will not make the ultimate determination on any case.
- 3. The client is 18 years of age or older.
- 4. The client has histologically confirmed diagnosis and meets one of the following (a or b):
  - a. Client has relapsed or refractory disease, defined as progression after two or more lines of systemic therapy (which may or may not include therapy supported by autologous stem cell transplant)
  - b. Client has disease that is refractory to first-line chemoimmunotherapy or that relapses within 12 months of first-line chemoimmunotherapy.

Applicable Diagnosis Codes:							
C8330	C8331	C8332	C8333	C8334	C8335	C8336	C8337
C8338	C83398	C833A	C8510	C851A	C8520	C852A	

- 5. The client does not have primary central nervous system lymphoma/disease.
- 6. The client does not have active infection or inflammatory disorder.
- 7. The client has not received prior CD-19 directed CAR-T therapy.
- 8. Provider and facility attestation of all of the following monitoring parameters that the client:
  - a. Receives the recommended pre-medications before treatment
  - b. Is closely monitored for at least two weeks, including daily monitoring for at least one week.
  - c. Is instructed to remain within proximity of a certified healthcare facility for at least two weeks and to avoid driving for two weeks following product administration.

Approval duration: Only 1 dose per lifetime will be provided on this drug regardless of Provider. Dose does not exceed 2 x 10<sup>8</sup> CAR-positive viable T cells (as absolute maximum

# B. Follicular Lymphoma (relapsed or refractory):

- 1. A Medical Director is required to review and approve or deny all requests. A pharmacist will make a recommendation on the prior authorization, but ultimate determination will be made by the medical director only.
- 2. Medical necessity determinations will be supported by PDAC UM recommendation. The CPS or SHP pharmacy clinician will review the UM recommendation with the prior authorization request for clinical appropriateness and make a recommendation to the SHP Medical Director but will not make the ultimate determination on any case.
- 3. The client is 18 years of age or older.
- 4. The client has relapsed or refractory disease defined as progression after two or more lines of systemic therapy (which may or may not include therapy supported by autologous stem cell transplant).
- 5. The client has a histologically confirmed diagnosis of one of the following types of follicular lymphoma:

Applicable Diagnosis Codes							
C8200	C8201	C8202	C8203	C8204	C8205	C8206	C8207
C8208	C8209	C820A	C8210	C8211	C8212	C8213	C8214

TX.CC.PHAR.03 Page 3 of 6

C8215	C8216	C8217	C8218	C8219	C821A	C8220	C8221
C8222	C8223	C8224	C8225	C8226	C8227	C8228	C8229
C822A	C8230	C8231	C8232	C8233	C8234	C8235	C8236
C8237	C8238	C8239	C823A	C8240	C8241	C8242	C8243
C8244	C8245	C8246	C8247	C8248	C8249	C824A	C8250
C8251	C8252	C8253	C8254	C8255	C8256	C8257	C8258
C8259	C825A	C8260	C8261	C8262	C8263	C8264	C8265
C8266	C8267	C8268	C8269	C826A	C8280	C8281	C8282
C8283	C8284	C8285	C8286	C8287	C8288	C8289	C828A
C8290	C8291	C8292	C8293	C8294	C8295	C8296	C8297
C8298	C8299	C829A					

- 6. The client does not have primary central nervous system lymphoma/disease.
- 7. The client does not have active infection or inflammatory disorder.
- 8. The client has not received prior CD-19 directed CAR-T therapy.
- 9. Provider and facility attestation of all of the following monitoring parameters that the client:
  - a. Receives the recommended pre-medications before treatment
  - b. Is closely monitored for at least two weeks, including daily monitoring for at least one week.
  - c. Is instructed to remain within proximity of a certified healthcare facility for at least two weeks and to avoid driving for two weeks following product administration.

Approval duration: Only 1 dose per lifetime will be provided on this drug regardless of Provider. Dose does not exceed 2 x  $10^8$  CAR-positive viable T cells (as absolute maximum).

# II. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
Large B-Cell	Target dose: 2 × 10 <sup>6</sup> CAR-positive	2 × 10 <sup>8</sup> CAR-positive viable T
Lymphoma	viable T cells per kg body weight	cells
Follicular	Target dose: 2 × 10 <sup>6</sup> CAR-positive	2 × 10 <sup>8</sup> CAR-positive viable T
Lymphoma	viable T cells per kg body weight	cells

#### **REFERENCES:**

https://www.yescartahcp.com/large-b-cell-lymphoma/authorized-treatment-centers

Texas Medicaid Provider Procedures Manual: Outpatient Drug Services Handbook

## **ATTACHMENTS:**

## **REVISION LOG**

REVISION TYPE	REVISION SUMMARY	DATE APPROVED &
		PUBLISHED
Ad Hoc Review	Changed "Justin M.Weiss, Sr. V.P., Pharmacy Operations" to "Karen Tadlock, V.P., Pharmacy Operations"	02/13/2019
	Formatting	

TX.CC.PHAR.03 Page 4 of 6

1 1 1 1	40/4/00:0
on and criteria step regarding Centene's	10/1/2019
ction Committee (PDAC)	
criteria of primary CNS lymphoma, active	
flammatory disorder	
uthorized treatment centers in Texas per	09/14/2020
scarta.com/find-a-treatment-center/	
pphil, lymphocyte, and platelet count	05/04/2021
t that patient has not received prior CD-19	
herapy	
nphoma to CNS lymphoma/disease	
cation: Follicular Lymphoma	10/2021
codes	
a for oncologist requirement, prior therapy	
astern Cooperative Oncology Group	
quirements, and exclusion of active infection or	
sorder	
cation: large B-cell lymphoma that is refractory	07/01/2022
noimmunotherapy or that relapses within 12	07/01/2022
ine chemoimmunotherapy	
codes	
criteria of active infection and inflammatory	
criteria di active illection and illiaminatory	
nces	00/01/2022
codes for Follicular Lymphoma indication	09/01/2022
CD-10 codes in table format	00/44/0000
hrough" to " non-risk based (NRB) in Purpose	08/14/2023
policy section I.B. for indication of Follicular	
ion criteria of primary CNS lymphoma/disease	
therapy from section I.A.	
ges in Purpose and Policy sections	
hrough" to "non-risk based (NRB)" in Purpose	
urpose and Definition sections	
horized center: Baylor Scott & White Medical	
, changed Texas Transplant Institute to	
ital (San Antonio)	
point verbiage to "the client" for consistency	
ument	
ent "Yescarta® is not indicated for the treatment	
primary central nervous system lymphoma."	
ument ent "Yescarta® is not indicated for the treatment primary central nervous system lymphoma." section	
	section c approver names since electronic approvals are ler

TX.CC.PHAR.03 Page 5 of 6

	Updated Superior HealthPlan/Centene Pharmacy Services, CPS/SHP throughout policy	
	Updated Functional Area to reflect Pharmacy only	
Ad Hoc Review	Added criteria steps I.A.5., 6. and 7 and I.B.7 to align with TMHP manual	11/03/2023
Ad Hoc Review	Updated to TX.CC.PHAR format Removed criteria step: If the facility is non-PAR the medical director will redirect to a PAR provider. On a case-by-case basis, said Medical Director may make an exception outside of a PAR provider but will require a single case agreement (SCA). Once the case is determined, the pharmacy team via pharmacy management will work with the SCA team to assist on the SCA. This should be the exception and not the rule as a PAR facility/provider is preferable. The pharmacist supporting the medical director will contact pharmacy management to start the SCA process under both indications.	02/27/2024
Ad Hoc Review	Updated <b>Diagnosis Code</b> tables for both indications to include additional dx codes per TMHP CAD manual update effective Nov. 1, 2024	11/21/2024
Ad Hoc Review	Under initial approval criteria, added monitoring parameters per TMHP updates Updated treatment facilities based on Yescarta website  • Added "UT Southwestern Medical Center - Carter Blood Care"  • Removed "UT Southwestern Simmons Comprehensive Cancer Center" Removed REMS statement as well as step "The health-care facility has enrolled in the Yescarta Risk Evaluation and Mitigation Strategies and training has been given to the provider on the management of cytokine release syndrome and neurological toxicities." as FDA removed REMS as of 06/2025 Added authorized treatment facility link under references Font and formatting changes for 508 remediation	9/30/2025

©2024 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.

TX.CC.PHAR.03 Page 6 of 6