

Clinical Policy: Fingolimod (Gilenya, Tascenso ODT)

Reference Number: CP.PCH.38 Effective Date: 02.01.21 Last Review Date: 05.22 Line of Business: Commercial, HIM

Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Description

Fingolimod (Gilenya[®], Tascenso ODT[™]) is a sphingosine 1-phosphate receptor modulator.

FDA Approved Indication(s)

Gilenya and Tascenso ODT are indicated for the treatment of relapsing forms of multiple sclerosis (MS), to include clinically isolated syndrome, relapsing-remitting disease, and active secondary progressive disease. Gilenya is indicated in patients 10 years of age and older, while Tascenso ODT is indicated in pediatric patients 10 years of age and older and weighing less than or equal to 40 kg.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Gilenya and Tascenso ODT are **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

- A. Multiple Sclerosis (must meet all):
 - 1. Diagnosis of one of the following (a, b, or c):
 - a. Clinically isolated syndrome;
 - b. Relapsing-remitting MS;
 - c. Secondary progressive MS;
 - 2. Prescribed by or in consultation with a neurologist;
 - 3. If request is for Gilenya, age ≥ 10 years;
 - 4. If request is for Tascenso ODT, all of the following (a, b, and c):
 - a. Age between 10 to 17 years;
 - b. Body weight ≤ 40 kg;
 - c. Member must use Gilenya, unless contraindicated, clinically significant adverse effects are experienced, or documentation supports inability to swallow capsules;
 - 5. The requested agent is not prescribed concurrently with other disease modifying therapies for MS (*see Appendix D*);
 - 6. Documentation of baseline number of relapses per year and expanded disability status scale (EDSS) score;
 - 7. At the time of request, member does not have baseline QTc interval \geq 500 msec;
 - 8. Dose does not exceed one of the following (a or b):
 - a. Body weight > 40 kg: 0.5 mg (1 capsule) per day;



b. Body weight \leq 40 kg: 0.25 mg (1 capsule or orally disintegrating tablet) per day. Approval duration: 6 months

B. Other diagnoses/indications (must meet 1 or 2):

- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial and HIM.PA.33 for health insurance marketplace; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial and HIM.PA.103 for health insurance marketplace; or
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial and HIM.PA.154 for health insurance marketplace.

II. Continued Therapy

- A. Multiple Sclerosis (must meet all):
 - 1. Member meets one of the following (a or b):
 - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
 - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
 - 2. Member meets one of the following (a or b):
 - a. If member has received < 1 year of total treatment: Member is responding positively to therapy;
 - b. If member has received ≥ 1 year of total treatment: Member meets one of the following (i, ii, iii, or iv):
 - i. Member has not had an increase in the number of relapses per year compared to baseline;
 - ii. Member has not had ≥ 2 new MRI-detected lesions;
 - iii. Member has not had an increase in EDSS score from baseline;
 - iv. Medical justification supports that member is responding positively to therapy;
 - 3. The requested agent is not prescribed concurrently with other disease modifying therapies for MS (*see Appendix D*);
 - 4. If request is for Tascenso ODT, both of the following (a and b):
 - a. Member continues to be < 18 years of age and weigh ≤ 40 kg;
 - b. Documentation supports continued inability to swallow capsules;

CLINICAL POLICY Fingolimod



- 5. If request is for a dose increase, new dose does not exceed one of the following (a or b):
 - a. Body weight > 40 kg: 0.5 mg (1 capsule) per day;

b. Body weight ≤ 40 kg: 0.25 mg (1 capsule or orally disintegrating tablet) per day.

Approval duration: <u>first re-authorization</u>: 6 months; <u>second and subsequent re-authorizations</u>: 12 months

- **B.** Other diagnoses/indications (must meet 1 or 2):
 - 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial and HIM.PA.33 for health insurance marketplace; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial and HIM.PA.103 for health insurance marketplace; or
 - 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial and HIM.PA.154 for health insurance marketplace.

III. Diagnoses/Indications for which coverage is NOT authorized:

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial and HIM.PA.154 for health insurance marketplace or evidence of coverage documents;
- **B.** Primary progressive MS.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key EDSS: expanded disability status scale FDA: Food and Drug Administration MS: multiple sclerosis

Appendix B: Therapeutic Alternatives Not applicable

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s):
 - Recent myocardial infarction, unstable angina, stroke, transient ischemic attack, decompensated heart failure with hospitalization, or Class III/IV heart failure
 - History of Mobitz Type II 2nd degree or 3rd degree AV block or sick sinus syndrome, unless patient has a pacemaker

CLINICAL POLICY Fingolimod



- Baseline QTc interval \geq 500 msec
- Cardiac arrhythmias requiring anti-arrhythmic treatment with Class Ia or Class III anti-arrhythmic drugs
- Hypersensitivity to fingolimod or its excipients
- Concomitant use with other products containing fingolimod (*Tascenso ODT only*)
- Boxed warning(s): none reported

Appendix D: General Information

Disease-modifying therapies for MS are: glatiramer acetate (Copaxone[®], Glatopa[®]), interferon beta-1a (Avonex[®], Rebif[®]), interferon beta-1b (Betaseron[®], Extavia[®]), peginterferon beta-1a (Plegridy[®]), dimethyl fumarate (Tecfidera[®]), diroximel fumarate (Vumerity[®]), monomethyl fumarate (Bafiertam[™]), fingolimod (Gilenya[®], Tascenso ODT[™]), teriflunomide (Aubagio[®]), alemtuzumab (Lemtrada[®]), mitoxantrone (Novantrone[®]), natalizumab (Tysabri[®]), ocrelizumab (Ocrevus[®]), cladribine (Mavenclad[®]), siponimod (Mayzent[®]), ozanimod (Zeposia[®]), ponesimod (Ponvory[™]), and ofatumumab (Kesimpta[®]).

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose		
Relapsing	Gilenya: Adults and pediatric patients 10 years of age	Gilenya: 0.5		
MS	and older weighing > 40 kg: 0.5 mg PO QD	mg/day		
		Tascenso ODT:		
	Gilenya or Tascenso ODT: Pediatric patients 10 years	0.25 mg/day		
	of age and older weighing ≤ 40 kg: 0.25 mg PO QD			

VI. Product Availability

- Capsules (Gilenya): 0.25 mg, 0.5 mg
- Orally disintegrating tablet (Tascenso ODT): 0.25 mg

VII. References

- 1. Gilenya Prescribing Information. East Hanover, NJ: Novartis Pharmaceuticals Corporation; December 2019. Available at http://www.gilenya.com. Accessed February 4, 2022.
- Tascenso ODT Prescribing Information. San Jose, CA: Handa Neuroscience, LLC; December 2021. Available at https://www.accessdata.fda.gov/drugsatfda_docs/label/2021/214962Orig2lbl.pdf. Accessed February 7, 2022.
- 3. Rae-Grant A, Day GS, Marrie RA, et al. Practice guideline recommendations summary: disease-modifying therapies for adults with multiple sclerosis: report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. Neurology. 2018; 90(17): 777-788. Full guideline available at: https://www.aan.com/Guidelines/home/GetGuidelineContent/904.



Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created (split from CP.PHAR.251) per November SDC and prior clinical guidance.	11.11.20	02.21
2Q 2021 annual review: no significant changes; references to HIM.PHAR.21 revised to HIM.PA.154; references reviewed and updated.	02.08.21	05.21
2Q 2022 annual review: no significant changes; RT4: added Tascenso ODT; references reviewed and updated.	02.07.22	05.22
Template changes applied to other diagnoses/indications and continued therapy section.	09.29.22	

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to

CLINICAL POLICY Fingolimod



recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

©2021 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation.