

Clinical Policy: Sodium Zirconium Cyclosilicate (Lokelma)

Reference Number: CP.PMN.163 Effective Date: 07.24.18 Last Review Date: 08.22 Line of Business: Commercial, HIM, Medicaid

Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Description

Sodium zirconium cyclosilicate (Lokelma[®]) is a non-absorbed potassium-binding polymer.

FDA Approved Indication(s)

Lokelma is indicated for the treatment of hyperkalemia in adults.

Limitation(s) of use: Lokelma should not be used as an emergency treatment for life-threatening hyperkalemia because of its delayed onset of action.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Lokelma is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

- A. Hyperkalemia (must meet all):
 - 1. Diagnosis of hyperkalemia;
 - 2. Age \geq 18 years;
 - 3. Dose does not exceed the following:
 - a. Initial dose: 30 g per day for up to 48 hours;
 - b. Maintenance dose: 15 g per day.

Approval duration:

Medicaid/HIM – 6 months

Commercial – 12 months or duration of request, whichever is less

B. Other diagnoses/indications

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. Hyperkalemia (must meet all):

1. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;

CLINICAL POLICY Sodium Zirconium Cyclosilicate



- 2. Member is responding positively to therapy;
- 3. If request is for a dose increase, new dose does not exceed 15 g per day. **Approval duration:**
- Medicaid/HIM 12 months

Commercial – 12 months or duration of request, whichever is less

B. Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.

Approval duration: Duration of request or 12 months (whichever is less); or

2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid, or evidence of coverage documents;
- **B.** Emergency treatment for life-threatening hyperkalemia because of its delayed onset of action.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key FDA: Food and Drug Administration

Appendix B: Therapeutic Alternatives Not applicable

Appendix C: Contraindications/Boxed Warnings None reported

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
Hyperkalemia	Initial: 10 g PO TID for up to 48 hrs	15 g/day
	Maintenance: 10 g PO QD (adjust dose by 5 g	
	as needed at weekly intervals)	

VI. Product Availability

Packet for oral suspension: 5 g, 10 g

CLINICAL POLICY Sodium Zirconium Cyclosilicate



VII. References

- 1. Lokelma Prescribing Information. Wilmington, DE: AstraZeneca Pharmaceuticals LP. October 2021. Available at: <u>www.lokelma.com</u>. Accessed March 22, 2022.
- 2. Micromedex[®] Healthcare Series [Internet database]. Greenwood Village, Colo: Thomson Healthcare. Updated periodically. Accessed March 22, 2022.
- 3. Esposito P, Conti NE, Falqui V, et al. New Treatment Options for Hyperkalemia in Patients with Chronic Kidney Disease. J Clin Med. 2020;9(8):2337.
- Renal Association: Clinical Practice Guidelines Treatment of Acute Hyperkalaemia in Adults 2019 (Final version: June 2020). Available at: <u>https://renal.org/sites/renal.org/files/RENAL%20ASSOCIATION%20HYPERKALAEMIA</u> %20GUIDELINE%202020.pdf. Accessed March 22, 2022.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created	07.24.18	11.18
3Q 2019 annual review: no significant changes; references reviewed and updated.	05.31.19	08.19
3Q 2020 annual review: clarified redirection to preferred sodium polystyrene sulfonate; added to Section III exclusion for emergency treatment of hyperkalemia to align with prescribing information limitation of use and Veltassa; references reviewed and updated.	05.05.20	08.20
3Q 2021 annual review: removed redirection to preferred sodium polystyrene sulfonate (SPS) due to SPS toxicity and current standard of practice; added HIM line of business; references reviewed and updated.	04.13.21	08.21
Revised approval duration for Commercial line of business from length of benefit to 12 months or duration of request, whichever is less	09.28.21	02.22
3Q 2022 annual review: no significant changes; references reviewed and updated.	03.22.22	08.22

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

CLINICAL POLICY Sodium Zirconium Cyclosilicate



The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation.