

Clinical Policy: Opioid Analgesics*

Reference Number: HIM.PA.139

Effective Date: 08.01.18 Last Review Date: 02.21 Line of Business: HIM

Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

*Requests for transmucosal immediate-release fentanyl products (TIRFs) should be evaluated using the Fentanyl IR (Abstral, Actiq, Fentora, Lazanda, Subsys) policy – CP.PMN.127.

Description

Opioid analgesics exert their analgesic effect through opiate receptors distributed in tissues throughout the body.

This policy applies to all formulary long and short acting opioids requiring prior authorization or any non-formulary drug request that has met the formulary exception criteria – HIM.PA.103.

FDA Approved Indication(s)

Opioid analgesics are indicated for the management and treatment of moderate to severe pain.

Policy/Criteria

Provider must submit documentation (including such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

I. Initial Approval Criteria

Please note: for HIM-Arkansas – if a member's covered prescription pain medication requires a prior authorization, then the prior authorization shall not be denied if the member has a terminal illness.

A. Cancer or Palliative Care (must meet all):

*Requests for transmucosal immediate-release fentanyl products (TIRFs) should be evaluated using the Fentanyl IR (Abstral, Actiq, Fentora, Lazanda, Subsys) policy – CP.PMN.127.

- 1. Prescribed for pain associated with cancer or for palliative care (hospice or any terminal condition);
- 2. If request is for an opioid (long- or short-acting) that is on the formulary and requires prior authorization OR is a non-formulary opioid: member has failed an adequate trial of two formulary short-acting agents that do not require prior authorization, dosed around the clock, unless clinically significant adverse effects are experienced or all are contraindicated:
- 3. For OHIO request ONLY: If total dose of opioid exceeds 80 MME per day, member is stable (history of > 7 days of therapy) on current dose or documentation supports gradual upward titration of dose.

Approval duration: 12 months

CENTENE® Corporation

CLINICAL POLICY Opioids Analgesics

B. Nucynta ER for Diabetic Peripheral Neuropathy (must meet all):

- 1. Request is for Nucynta ER;
- 2. Diagnosis of diabetic peripheral neuropathy;
- 3. Age \geq 18 years;
- 4. Failure of gabapentin at ≥ 1800 mg/day unless contraindicated or clinically significant adverse effects are experienced;
- 5. Failure of a formulary tricyclic antidepressant (TCA) (e.g., amitriptyline, nortriptyline, imipramine) at up to maximally indicated doses, unless clinically significant adverse effects are experienced or all are contraindicated;
- 6. Failure of a formulary serotonin-norepinephrine reuptake inhibitor (SNRI) (e.g., duloxetine, venlafaxine) at up to maximally indicated doses, unless clinically significant adverse effects are experienced or all are contraindicated;
- 7. Dose does not exceed 500 mg per day.

Approval duration: Duration of request or 180 days (whichever is less)

C. Short-Acting Agents Requiring Formulary Prior Authorization (PA) \leq a 14 day Supply (must meet all):

- 1. Prescribed for the treatment of pain unrelated to cancer or palliative care;
- 2. Failure of two formulary short-acting opioids analgesics dosed around the clock, unless clinically significant adverse effects are experienced or all are contraindicated;
- 3. For OHIO requests ONLY: Total opioid dose does not exceed 80 MME per day or for members who are stable (history of > 7 days of therapy) on doses higher than 80 MME per day, one of the following is met (a or b):
 - a. Provider will initiate a dose taper; *Future approval will require decrease from current dose.
 - b. Documentation that a dose taper has been attempted within the past 6 months, with the reasons for taper failure;
- 4. For OHIO requests ONLY: If opioid is being prescribed concomitantly with a benzodiazepine, member meets both of the following (a and b):
 - a. Documentation that the provider has acknowledged combined use of opioid medication and benzodiazepine;
 - b. Prescribed for short term (< 3 months) use or provider will discontinue concurrent use of benzodiazepine and opioid therapy within a 3-month period.

*Re-authorization request for concurrent use of opioid and benzodiazepine will not be approved.

Approval Duration: 7 days

D. Long-Acting Agents <u>OR</u> Requests Exceeding a 14-day Supply Within 28 Days <u>OR</u> Requests Exceeding a 28-day Supply Within 90 Days (must meet all):

*If member is new to Centene benefit and has received 90 days of the opioid in the last 120 days, <u>approve</u> request for 6 months and advise provider to attempt opioid taper.

- 1. Prescribed for the treatment of pain unrelated to cancer or palliative care;
- 2. Member meets one of the following (a or b):
 - a. Prescribed agent is a short-acting agent that is covered without formulary PA requirement or member has failed an adequate trial of two other short-acting opioids analysesics on the formulary, dosed around the clock, unless clinically significant adverse effects are experienced or all are contraindicated;

CENTENE[®]

CLINICAL POLICY Opioids Analgesics

- b. Failure of an adequate trial of two short-acting opioids analgesics dosed around the clock; additionally if formulary PA is required, failure of an adequate trial of 2 formulary long-acting agents, unless clinically significant adverse effects are experienced or all are contraindicated;
- 3. Failure of at least 2 non-opioid ancillary treatments (such as non-steroidal anti-inflammatory drugs (NSAIDs), acetaminophen, anticonvulsants, antidepressants, etc.) unless clinically significant adverse effect are experienced or all are contraindicated;
- 4. For OHIO requests ONLY: Total opioid dose does not exceed 80 MME per day or for members who are stable (history of > 7 days of therapy) on doses higher than 80 MME per day, one of the following is met (a or b):
 - a. Provider will initiate a dose taper;
 - *Future approval will require decrease from current dose.
 - b. Documentation that a dose taper has been attempted within the past 6 months, with the reasons for taper failure;
- 5. For OHIO requests ONLY: If opioid is being prescribed concomitantly with a benzodiazepine, member meets both of the following (a and b):
 - a. Documentation that the provider has acknowledged combined use of opioid medication and benzodiazepine;
 - b. Prescribed for short term (< 3 months) use or provider will discontinue concurrent use of benzodiazepine and opioid therapy within a 3-month period.

Approval duration:

Short-acting agents – Length of request or 3 months, whichever is shorter Long-acting agents – 12 months

E. Other diagnoses/indications – Not applicable

II. Continued Therapy

Please note: for HIM-Arkansas – if a member's covered prescription pain medication requires a prior authorization, then the prior authorization shall not be denied if the member has a terminal illness.

A. Cancer or Palliative Care (must meet all):

*Requests for transmucosal immediate-release fentanyl products (TIRFs) should be evaluated using the Fentanyl IR (Abstral, Actiq, Fentora, Lazanda, Subsys) policy – CP.PMN.127.

- 1. Currently receiving prescribed agent via Centene benefit for cancer and palliative care or have previously met initial approval criteria;
- 2. For OHIO requests ONLY: If total dose of opioid exceeds 80 MME/day, member is stable (history of > 7 days of therapy) on current dose or documentation supports gradual upward titration of dose.

Approval duration: 12 months

B. Nucynta ER for Diabetic Peripheral Neuropathy (must meet all):

- 1. Currently receiving Nucynta ER for the diagnosis of diabetic peripheral neuropathy or member has met initial approval criteria;
- 2. Provider submits medical justification supporting continued need of Nucynta ER;
- 3. If request is for a dose increase, new dose does not exceed 500 mg per day.

CENTENE® Corporation

CLINICAL POLICY Opioids Analgesics

Approval duration: Duration of request or 30 days (whichever is less)

C. Short Acting Agents Requiring Formulary Prior Authorization (PA) \leq a 14 day Supply (must meet all):

- 1. Previously received medication via Centene benefit or has previously met the initial approval criteria;
- 2. For OHIO requests ONLY: Total opioid dose should NOT exceed 80 MME/day or if the current dose is higher than 80 MME/day, one of the following is met (a, b or c):
 - a. Dose reduction has occurred since previous approval;
 - b. A dose taper has been attempted within the past 6 months and was not successful; *Reason(s) for taper failure must be provided
 - c. Prescribed by or consultation with a pain management specialist;
- 3. For OHIO requests ONLY: If the requested dose is for > 80 MME/day, an increase in dose has not occurred since previous approval;
- 4. For OHIO requests ONLY: If opioid is being prescribed concomitantly with a benzodiazepine, member meets all of the following (a, b, and c):
 - a. Currently receiving concurrent opioid and benzodiazepine therapy via Centene benefit or member has previously met the initial approval criteria;
 - b. Documentation supports that discontinuation of combination opioid and benzodiazepine therapy has been attempted in the last 3 months without success;
 - c. Prescribed by or in consultation with a pain management specialist.

Approval Duration: 7 days

D. Long-Acting Agents OR Requests Exceeding a 14-day Supply Within 28 Days OR 28-day Supply Within 90 Days (must meet all):

*If member is new to Centene benefit and has received 90 days of the opioid in the last 120 days, <u>approve</u> request for 6 months and advise provider to attempt opioid taper.

- 1. Previously received medication via Centene benefit or member has previously met initial approval criteria;
- 2. Has received more than a 7-day supply of opioid in the last 90 days;

 *If member does not meet this requirement, please use the initial approval criteria to review this request
- 3. Provider submits medical justification supporting continued need of opioid analysesics;
- 4. For OHIO requests ONLY: Total opioid dose should NOT exceed 80 MME/day or if the current dose is higher than 80 MME/day, one of the following is met (a, b or c):
 - a. Dose reduction has occurred since previous approval;
 - b. A dose taper has been attempted within the past 6 months and was not successful; *Reason(s) for taper failure must be provided
 - c. Prescribed by or consultation with a pain management specialist;
- 5. For OHIO requests ONLY: If the requested dose is for > 80 MME/day, an increase in dose has not occurred since previous approval;
- 6. For OHIO requests ONLY: If opioid is being prescribed concomitantly with a benzodiazepine, member meets all of the following (a, b, and c):
 - a. Currently receiving concurrent opioid and benzodiazepine therapy via Centene benefit or member has previously met the initial approval criteria;

CENTENE® Corporation

CLINICAL POLICY Opioids Analgesics

- b. Documentation supports that discontinuation of combination opioid and benzodiazepine therapy has been attempted in the last 3 months without success;
- c. Prescribed by or in consultation with a pain management specialist.

Approval duration:

Short-acting agents – Length of request or 3 months, whichever is shorter Long-acting agents – 12 months

E. Other diagnoses/indications – Not applicable

III. Diagnoses/Indications for which coverage is NOT authorized – Not applicable

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key FDA: Food and Drug Administration MME: morphine milligram equivalents NSAID: non-steroidal anti-inflammatory drug

SNRI: serotonin-norepinephrine reuptake inhibitor

TCA: tricyclic antidepressant

Appendix B: Therapeutic Alternatives Not applicable

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): significant respiratory depression; acute or severe bronchial asthma; gastrointestinal obstruction, including paralytic ileus; hypersensitivity to the opioid active ingredient, salts, or any component of the product.
- Boxed warning(s): potential for addiction, abuse, and misuse; life-threatening respiratory depression; accidental ingestion; neonatal opioid withdrawal syndrome; cytochrome P450 3A4 interactions; risks from concomitant use with benzodiazepines or other CNS depressants.

Appendix D: General Information

Opioid Oral Morphine Milligram Equivalent (MME) Conversion Factors			
Type of Opioid (strength units)	MME Conversion Factor		
Codeine (mg)	0.15		
Dihydrocodeine (mg)	0.25		
Fentanyl buccal or SL tablets, or lozenge/troche (mcg)	0.13		
Fentanyl film or oral spray (mcg)	0.18		
Fentanyl nasal spray (mcg)	0.16		
Fentanyl patch (mcg)	7.2		
Hydrocodone (mg)	1		
Hydromorphone (mg)	4		
Levorphanol tartrate (mg)	11		
Meperidine hydrochloride (mg)	0.1		



CLINICAL POLICY Opioids Analgesics

Opioid Oral Morphine Milligram Equivalent (MME) Conversion Factors		
Methadone (mg)		
> 0, ≤ 20	4	
$> 20, \le 40$	8	
> 40, \le 60	10	
> 60	12	
Morphine (mg)	1	
Opium (mg)	1	
Oxycodone (mg)	1.5	
Oxymorphone (mg)	3	
Pentazocine (mg)	0.37	
Tapentadol (mg)	0.4	
Tramadol (mg)	0.1	

V. Dosage and Administration

There are numerous opioid analgesics, please refer to the package insert of your drug of interest for information on appropriate dosage and administration.

VI. Product Availability

There are numerous opioid analgesics, please refer to the package insert of your drug of interest for product availability information.

VII. References

- 1. Nucynta ER Prescribing Information. Stoughton, MA: Collegium Pharmaceutical, Inc.; October 2019. Available at: https://www.nucynta.com/assets/pdf/2019_NER_PI.pdf. Accessed December 1, 2020.
- 2. Dowell D, Haegerich TM, Chou R. CDC guideline for prescribing opioids for chronic pain United States, 2016. JAMA. 2016 Apr 19; 315(15):1624-45.
- 3. Kampman K, Jarvis M. American Society of Addiction Medicine (ASAM) National Practice Guideline for the Use of Medications in the Treatment of Addiction Involving Opioid Use. J Addict Med. 2015 Sep-Oct;9(5):358-67.

Reviews, Revisions, and Approvals	Date	P&T
		Approval
		Date
New policy created	06.09.18	06.18
No significant changes: modified the day supply requirement for	07.17.18	
PA override to align with programming; request exceeding 7 day		
supply/90 days changed to requests exceeding a 14-day supply		
within 28 Days OR 28-day supply within 90 Days		
Added redirection to TIRF policy; clarified that redirection in	09.10.18	
section C is to other formulary agents; notated that section C should		



CLINICAL POLICY Opioids Analgesics

Reviews, Revisions, and Approvals	Date	P&T Approval
		Date
apply for request for < 14 day supply; added HIM OH state		
requirements to policy from a previously approved policy.		
1Q 2019 annual review: no significant changes; references reviewed	11.05.18	02.19
and updated.		
1Q 2020 annual review; no significant changes; added HIM-	11.26.19	02.20
Arkansas disclaimer re: coverage when the member has a terminal		
illness; references reviewed and updated.		
Revised approval duration for short-acting agents from 30 days to 3	12.01.20	12.20
months, and for long-acting agents from 30 days to 12 months, per		(ad hoc)
request from Ambetter Pharmacy Director and PA Ops.		
1Q 2021 annual review: no significant changes; references reviewed	12.02.20	02.21
and updated.		
Revised wording in the Cancer/Palliative Care Initial Approval	08.24.21	
section to clarify the circumstances under which the requirement for		
a trial of two formulary short-acting agents would apply.		

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan



CLINICAL POLICYOpioids Analgesics

retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene and Centene Corporation. The composition of Centene Corporation.