

## Clinical Policy: Eptinezumab-jjmr (Vyepiti)

Reference Number: HIM.PA.SP64

Effective Date: 10.01.20

Last Review Date: 02.21

Line of Business: HIM

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

### Description

Eptinezumab-jjmr (Vyepiti<sup>™</sup>) a calcitonin gene-related peptide (CGRP) receptor antagonist.

### FDA Approved Indication(s)

Vyepiti is indicated for the preventive treatment of migraine in adults.

### Policy/Criteria

It is the policy of health plans affiliated with Centene Corporation<sup>®</sup> that Vyepiti is **medically necessary** when the following criteria are met:

#### I. Initial Approval Criteria

##### A. Migraine Prophylaxis (must meet all):

1. Diagnosis of episodic or chronic migraine;
2. Provider's attestation that member experiences  $\geq 4$  migraine days per month for at least 3 months;
3. Age  $\geq 18$  years;
4. Failure of at least 2 of the following oral migraine preventative therapies, each for 8 weeks and from different therapeutic classes, unless clinically significant adverse effects are experienced or all are contraindicated: antiepileptic drugs (e.g., divalproex sodium, sodium valproate, topiramate), beta-blockers (e.g., metoprolol, propranolol, timolol), antidepressants (e.g., amitriptyline, venlafaxine);
5. Failure of Aimovig<sup>®</sup> and Emgality<sup>®</sup>, unless contraindicated or clinically significant adverse effects are experienced;
6. Vyepiti is not prescribed concurrently with Botox<sup>®</sup> or other injectable and oral CGRP inhibitors (e.g., Aimovig, Ajovy<sup>®</sup>, Emgality, Nurtec<sup>®</sup>, Ubrelvy<sup>™</sup>);
7. Dose does not exceed 100 mg (1 vial) once every 3 months.

**Approval duration: 3 months**

##### B. Other diagnoses/indications

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): HIM.PA.154 for health insurance marketplace.

#### II. Continued Therapy

##### A. Migraine Prophylaxis (must meet all):

1. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;

2. Member has experienced and maintained positive response to therapy as evidenced by provider’s attestation of a reduction in migraine days per month from baseline;
3. Vypti is not prescribed concurrently with Botox or other injectable and oral CGRP inhibitors (e.g., Aimovig, Ajovy, Emgality, Nurtec, Ubrelvy);
4. If request is for a dose increase, new dose does not exceed one of the following (a or b):
  - a. 100 mg (1 vial) once every 3 months;
  - b. 300 mg (3 vials) once every 3 months if medical justification for higher dose is provided.

**Approval duration: 6 months**

**B. Other diagnoses/indications (must meet 1 or 2):**

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.  
**Approval duration: Duration of request or 6 months (whichever is less);** or
2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): HIM.PA.154 for health insurance marketplace.

**III. Diagnoses/Indications for which coverage is NOT authorized:**

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – HIM.PA.154 for health insurance marketplace or evidence of coverage documents.

**IV. Appendices/General Information**

*Appendix A: Abbreviation/Acronym Key*

CGRP: calcitonin gene-related peptide

FDA: Food and Drug Administration

*Appendix B: Therapeutic Alternatives*

*This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent for all relevant lines of business and may require prior authorization.*

| <b>Drug Name</b>   | <b>Dosing Regimen</b>  | <b>Dose Limit/<br/>Maximum Dose</b>                   |
|--|--|---|
| Anticonvulsants such as: divalproex (Depakote <sup>®</sup> ), topiramate (Topamax <sup>®</sup> ), valproate sodium   | <b>Migraine Prophylaxis</b><br><i>Refer to prescribing information or Micromedex</i> | <i>Refer to prescribing information or Micromedex</i> |
| Beta-blockers such as: propranolol (Inderal <sup>®</sup> ), metoprolol (Lopressor <sup>®</sup> )*, timolol, atenolol (Tenormin <sup>®</sup> )*, nadolol (Corgard <sup>®</sup> )* | <b>Migraine Prophylaxis</b><br><i>Refer to prescribing information or Micromedex</i> | <i>Refer to prescribing information or Micromedex</i> |

| Drug Name   | Dosing Regimen   | Dose Limit/<br>Maximum Dose                           |
|---|--|---|
| Antidepressants/tricyclic antidepressants* such as:<br>amitriptyline (Elavil <sup>®</sup> ),<br>venlafaxine (Effexor <sup>®</sup> ) | <b>Migraine Prophylaxis</b><br>70 mg SC once monthly<br><br>Some patients may benefit from a dosage of 140 mg injected subcutaneously once monthly | <i>Refer to prescribing information or Micromedex</i> |
| Aimovig <sup>®</sup> (erenumab-aaoe)  | <b>Migraine Prophylaxis</b><br>70 mg SC once monthly<br><br>Some patients may benefit from a dosage of 140 mg injected subcutaneously once monthly | 140 mg/month  |
| Emgality <sup>®</sup> (galcanezumab-gnlm)   | <b>Migraine Prophylaxis</b><br>Loading dose: 240 mg SC once<br>Maintenance dose: 120 mg SC once monthly  | 120 mg/month  |

*Therapeutic alternatives are listed as Brand name<sup>®</sup> (generic) when the drug is available by brand name only and generic (Brand name<sup>®</sup>) when the drug is available by both brand and generic.*

*Appendix C: Contraindications/Boxed Warnings*

- Contraindication(s): serious hypersensitivity to eptinezumab-jjmr or to any of the excipients
- Boxed warning(s): none reported

*Appendix D: General Information*

- In the PROMISE-I clinical trial, a migraine was classified by the following characteristics: lasted 4–72 hours; with at least two of the following: unilateral location, pulsating quality, moderate or severe pain intensity, or aggravation by or causing avoidance of routine physical activity; and had one or more of the following: nausea and/or vomiting and photophobia and phonophobia. A probable migraine was a qualifying headache with two of the three preceding criteria.

**V. Dosage and Administration**

| Indication           | Dosing Regimen  | Maximum Dose          |
|----------------------|---|-----------------------|
| Migraine prophylaxis | The recommended dosage is 100 mg IV every 3 months.<br><br>Some patients may benefit from a dosage of 300 mg IV every 3 months. | 300 mg every 3 months |

**VI. Product Availability**

Single-dose vial: 100 mg/mL

**VII. References**

1. Vyepiti Prescribing Information. Bothell, WA: Lundbeck Seattle BioPharmaceuticals, Inc.; February 2020. Available at: <https://www.vyepitihcp.com/>. Accessed November 18, 2020.
2. Silberstein SD, Holland S, Freitag F, et al. American Academy of Neurology: Evidence-based guideline update: Pharmacologic treatment for episodic migraine prevention in adults. *Neurology* 2012; 78: 1337-45.
3. Simpson DM, Hallett M, Ashman EJ, et al. American Academy of Neurology: Practice guideline update summary: Botulinum neurotoxin for the treatment of blepharospasm, cervical dystonia, adult spasticity, and headache. *Neurology* 2016; 86: 1818-26.
4. Ashina M, Saper J, Cady R, et al. Eptinezumab in episodic migraine: A randomized, double-blind, placebo-controlled study (PROMISE-1). *Cephalalgia* 2020 March; 40(3):241-254.
5. ClinicalTrials.gov [Internet]. Bethesda, MD: National Library of Medicine (US). Identifier NCT02974153, Evaluation of ALD403 (Eptinezumab) in the Prevention of Chronic Migraine (PROMISE 2). Available at: <https://clinicaltrials.gov/ct2/show/NCT02974153>. Accessed March 6, 2020.

**Coding Implications**

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

| HCPCS Codes | Description                       |
|-------------|-----------------------------------|
| J3032       | Injection, eptinezumab-jjmr, 1 mg |

| Reviews, Revisions, and Approvals  | Date     | P&T Approval Date |
|--|----------|-------------------|
| Policy created (adapted from CP.PCH.29 which will be retired and split for Commercial line of business) per September SDC and prior clinical guidance to redirect to Aimovig and Emgality (Ajoyv redirection removed); removed prescriber requirements; clarified provider attestation is required to confirm migraine day requirements. | 09.08.20 | 09.20<br>(ad hoc) |
| 1Q 2021 annual review: no significant changes; references to HIM.PHAR.21 revised to HIM.PA.154; references reviewed and updated.   | 11.18.20 | 02.21             |
| Revised requirement on concurrent use with other CGRP inhibitors to include oral products with Nurtec and Ubrelvy listed as additional examples.   | 06.28.21 |                   |

**Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical

policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

©2020 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or

remove any trademark, copyright or other notice contained herein. Centene<sup>®</sup> and Centene Corporation<sup>®</sup> are registered trademarks exclusively owned by Centene Corporation.