

Clinical Policy: Lasmiditan (Reyvow)

Reference Number: CP.PMN.218

Effective Date: 03.01.20 Last Review Date: 02.20

Line of Business: Commercial, HIM, Medicaid

Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Description

Lasmiditan (Reyvow[™]) is a serotonin (5-HT) 1F agonist.

FDA Approved Indication(s)

Reyvow is indicated for the acute treatment of migraine with or without aura in adults.

Limitation(s) of use: Reyvow is not indicated for the preventive treatment of migraine.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Reyvow is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

- A. Migraines (must meet all):
 - 1. Diagnosis of migraine headaches;
 - 2. Age \geq 18 years;
 - 3. Failure of at least TWO formulary 5HT_{1B/1D}-agonist migraine medications (e.g., sumatriptan, rizatriptan, zolmitriptan) at up to maximally indicated doses, unless contraindicated or clinically significant adverse effects are experienced;
 - 4. For requests for quantities greater than two doses per month, member meets one of the following (a or b):
 - a. Failure of TWO prophylactic migraine medications, unless contraindicated or clinically significant adverse effects are experienced (see Appendix B);
 - b. Member is being treated by or in consultation with a neurologist or a headache specialist;
 - 5. Dose does not exceed 200 mg (2 tablets) per day and 4 days per month.

Approval duration:

Medicaid/HIM – 12 months

Commercial – Length of Benefit

B. Other diagnoses/indications

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is

CLINICAL POLICY Lasmiditan



NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. Migraines (must meet all):

- 1. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
- 2. Member is responding positively to therapy;
- 3. If request is for a dose increase, new dose does not exceed 200 mg (2 tablets) per day and 4 days per month.

Approval duration:

Medicaid/HIM – 12 months

Commercial – Length of Benefit

B. Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.

Approval duration: Duration of request or 12 months (whichever is less); or

2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid or evidence of coverage documents

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

5-HT: serotonin

AAN: American Academy of Neurology FDA: Food and Drug Administration

Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent for all relevant lines of business and may require prior authorization.

Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose
naratriptan	One tablet (1 or 2.5 mg) PO at onset; can be	5 mg/day
(Amerge [®])	repeated in 4 hours	
almotriptan (Axert®)	6.25 to 12.5 mg PO QD	25 mg/day
	May repeat dose in 2 hours	
frovatriptan (Frova®)	2.5 mg PO QD	7.5 mg/day



Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose		
	May repeat dose in 2 hours			
sumatriptan (Imitrex® nasal spray)	One spray (5 – 20mg) at onset into one nostril; can be repeated in 2 hours	40 mg/day		
sumatriptan (Imitrex®)	One tablet (25 -100mg) PO at onset; can be repeated in two hours	200 mg/day		
rizatriptan (Maxalt® /Maxalt MLT®)	One tablet (5 or 10 mg) PO at onset of migraine headache; can be repeated in two hours	30 mg/day		
eletriptan (Relpax®)	20 or 40 mg PO QD May repeat dose in 2 hours	40 mg/dose 80 mg/day		
zolmitriptan	1.25 or 2.5 mg PO QD	5 mg/dose		
(Zomig [®] /Zomig [®] ZMT)	May repeat dose in 2 hours	10 mg/day		
Preventive Therapies for Migraine				

Preventive Therapies for Migraine						
(Adopted by the American Academy of Neurology [AAN])						
Medication	Dose	Level of Evidence**				
Anticonvulsants						
divalproex sodium (Depakote®)	500-1,000 mg/day PO	FDA-approved				
divalproex sodium ER (Depakote®	500-1,000 mg/day PO	FDA-approved				
ER)						
gabapentin (Neurontin®)	900-2,400 mg/day PO	Group II				
topiramate (Topamax®)	100 mg/day PO	FDA-approved				
Beta-Blockers						
atenolol (Tenormin®)	100 mg/day PO	Group II				
metoprolol (Lopressor®)	200 mg/day PO	Group II				
nadolol (Corgard®)	80-240 mg/day PO	Group II				
propranolol (Inderal®)	80-240 mg/day PO	Group I				
timolol (Blocadren®)	20-30 mg/day PO	Group I				
Calcium Channel Blockers						
verapamil (Calan®)	240 mg/day PO	Group II				
SSRIs						
fluoxetine (Prozac®)	20 mg QOD - 40 mg/day PO	Group II				
Tricyclic Antidepressants						
amitriptyline (Elavil®)	30-150 mg/day PO	Group I				
imipramine (Tofranil®)	Not established	Group III				
nortriptyline (Pamelor®)	Not established	Group III				

Therapeutic alternatives are listed as Brand name® (generic) when the drug is available by brand name only and generic (Brand name®) when the drug is available by both brand and generic.

Appendix C: Contraindications/Boxed Warnings None reported

CLINICAL POLICY Lasmiditan



Appendix D: General Information

- The AAN recommends that prophylactic migraine medications should be considered if the patient experiences 2 or more attacks per month that produce aggregate disability of 3 or more days/month.
- The AAN and the National Headache Foundation recommend that prophylactic migraine medications should be considered if one or more of the following are present: greater than 2 migraine headaches per week; migraines cause significant impairment in daily routine even with abortive treatment; contraindication to, adverse effects, overuse or failure of abortive migraine medications, presence of uncommon migraine condition (e.g., basilar migraine); or patient requesting prophylactic therapy.

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
Migraines	50 mg, 100 mg, or 200 mg taken orally, as needed	200 mg/dose

VI. Product Availability

Tablets: 50 mg, 100 mg

VII. References

- 1. Reyvow Prescribing Information. Indianapolis, IN: Lilly USA, LLC; October 2019. Available at: http://pi.lilly.com/us/reyvow-uspi.pdf. Accessed November 11, 2019.
- 2. Kuca B, Silberstein SD, Wietecha L, et al. Lasmiditan is an effective acute treatment for migraine. Neurology. 2018;91:e2222-32.
- 3. Goadsby PJ, Wietecha LA, Dennehy EB, et al. Phase 3 randomized, placebo-controlled, double-blind study of lasmiditan for acute treatment of migraine. Brain. 2019;142:1894-1904.
- 4. American Headache Society. The American Headache Society position statement on integrating new migraine treatments into clinical practice. Headache. 2019;59:1-18.
- 5. MICROMEDEX® Healthcare Series [Internet database]. Greenwood Village, Colo: Thomson Healthcare. Updated periodically. Accessed November 11, 2019.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created	11.19.19	02.20

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health

CLINICAL POLICY Lasmiditan



plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2019 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise

CLINICAL POLICY Lasmiditan



published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.